

---

# **atlasapi Documentation**

***Release 0.14.1***

**Matthew G. Monteleone**

**Jun 09, 2022**



---

## Contents:

---

<b>1 atlasapi package</b>	<b>3</b>
1.1 atlasapi.atlas module . . . . .	3
1.2 atlasapi.atlas_types module . . . . .	5
1.3 atlasapi.alerts module . . . . .	5
1.4 atlasapi.clusters module . . . . .	5
1.5 atlasapi.events module . . . . .	10
1.6 atlasapi.measurements module . . . . .	10
1.7 atlasapi.whitelist module . . . . .	10
1.8 atlasapi.errors module . . . . .	10
1.9 atlasapi.network module . . . . .	14
1.10 atlasapi.settings module . . . . .	15
1.11 atlasapi.specs module . . . . .	16
1.12 atlasapi.maintenance_window module . . . . .	24
1.13 atlasapi.cloud_backup module . . . . .	25
1.14 atlasapi.lib module . . . . .	27
1.15 atlasapi.projects module . . . . .	29
1.16 atlasapi.organizations module . . . . .	30
<b>2 Nested class for atlasapi.atlas::Atlas</b>	<b>31</b>
2.1 Atlas._Clusters . . . . .	31
2.2 Atlas._DatabaseUsers . . . . .	34
2.3 Atlas._Alerts . . . . .	35
2.4 Atlas._MaintenanceWindows . . . . .	37
2.5 Atlas._Hosts . . . . .	37
2.6 Atlas._Events . . . . .	40
2.7 Atlas._Whitelist . . . . .	40
2.8 Atlas._CloudBackups . . . . .	41
2.9 Atlas._Projects . . . . .	43
2.10 Atlas._Organizations . . . . .	44
<b>3 atlascli - A Command line program for MongoDB Atlas</b>	<b>47</b>
<b>4 Indices and tables</b>	<b>49</b>
<b>Python Module Index</b>	<b>51</b>
<b>Index</b>	<b>53</b>



Python Bindings for the Atlas Public API



# CHAPTER 1

---

## atlasapi package

---

### 1.1 atlasapi.atlas module

Atlas module

Core module which provides access to MongoDB Atlas Cloud Provider APIs

**class** atlasapi.atlas.**AlertsGetAll** (atlas, status, pageNum, itemsPerPage)

Bases: atlasapi.atlas.*AtlasPagination*

Pagination for Alerts : Get All

**fetch** (pageNum, itemsPerPage)

Intermediate fetching

#### Parameters

- **pageNum** (*int*) – Page number
- **itemsPerPage** (*int*) – Number of Users per Page

**Returns** Response payload

**Return type** dict

**class** atlasapi.atlas.**Atlas** (user: str, password: str, group: str = None,

auth\_method: Union[requests.auth.HTTPBasicAuth,

requests.auth.HTTPDigestAuth] = <class 're-

quests.auth.HTTPDigestAuth'>)

Bases: object

Atlas constructor

#### Parameters

- **user** (*str*) – Atlas user
- **password** (*str*) – Atlas password
- **group** (*str*) – Atlas group

- **auth\_method** (*Union[HTTPBasicAuth, HTTPDigestAuth]*) – Authentication method to use, defaults to digest, but you

• **override to Basic if needed for use with a Proxy.** (*can*) –

**class** atlasapi.atlas.**AtlasPagination**(*atlas, fetch, pageNum: int, itemsPerPage: int*)

Bases: object

Atlas Pagination Generic Implementation

Constructor

#### Parameters

- **atlas** (*Atlas*) – Atlas instance
- **fetch** (*function*) – The function “get\_all” to call
- **pageNum** (*int*) – Page number
- **itemsPerPage** (*int*) – Number of Users per Page

**class** atlasapi.atlas.**CloudBackupSnapshotsGetAll**(*atlas, pageNum, itemsPerPage*)

Bases: *atlasapi.atlas.AtlasPagination*

Pagination for Database User : Get All

**class** atlasapi.atlas.**ClustersGetAll**(*atlas, pageNum, itemsPerPage*)

Bases: *atlasapi.atlas.AtlasPagination*

Pagination for Clusters : Get All

**class** atlasapi.atlas.**DatabaseUsersGetAll**(*atlas, pageNum, itemsPerPage*)

Bases: *atlasapi.atlas.AtlasPagination*

Pagination for Database User : Get All

**class** atlasapi.atlas.**EventsGetForProject**(*atlas: atlasapi.atlas.Atlas, since\_datetime: datetime.datetime, pageNum: int, itemsPerPage: int*)

Bases: *atlasapi.atlas.AtlasPagination*

**fetch** (*pageNum, itemsPerPage*)

Intermediate fetching

#### Parameters

- **pageNum** (*int*) – Page number
- **itemsPerPage** (*int*) – Number of Events per Page

**Returns** Response payload

**Return type** dict

**class** atlasapi.atlas.**HostsGetAll**(*atlas: atlasapi.atlas.Atlas, pageNum: int, itemsPerPage: int*)

Bases: *atlasapi.atlas.AtlasPagination*

Pagination for Processes : Get All

**class** atlasapi.atlas.**WhitelistGetAll**(*atlas, pageNum, itemsPerPage*)

Bases: *atlasapi.atlas.AtlasPagination*

Pagination for Database User : Get All

## 1.2 atlasapi.atlas\_types module

### 1.3 atlasapi.alerts module

```
class atlasapi.alerts.Alert (data_dict: dict)
Bases: object
```

### 1.4 atlasapi.clusters module

Classes related to Atlas clusters.

Supports the creation and configuration of Atlas clusters of various types.

Enums are used in order to minimize invalid configuration values.

```
class atlasapi.clusters.AdvancedOptions (failIndexKeyTooLong: Optional[bool] = None, javascriptEnabled: Optional[bool] = None, minimumEnabledTlsProtocol: Optional[atlasapi.clusters.TLSProtocols] = None, noTableScan: Optional[bool] = None, oplogSizeMB: Optional[int] = None, sampleSizeBIConnector: Optional[int] = None, sampleRefreshIntervalBIConnector: Optional[int] = None)
```

Bases: object

Container for Atlas Cluster Advanced options

#### Parameters

- **failIndexKeyTooLong** – When true, documents can only be updated or inserted if, for all indexed fields on the target collection, the corresponding index entries do not exceed 1024 bytes. When false, mongod writes documents that breach the limit but does not index them.
- **javascriptEnabled** – When true, the cluster allows execution of operations that perform server-side executions of JavaScript. When false, the cluster disables execution of those operations.
- **minimumEnabledTlsProtocol** – The minimum Transport Layer Security (TLS) version the cluster accepts for incoming connections.
- **noTableScan** – When true, the cluster disables the execution of any query that requires a collection scan to return results. When false, the cluster allows the execution of those operations.
- **oplogSizeMB** – The custom oplog size of the cluster. A value of null indicates that the cluster uses the default oplog size calculated by Atlas.
- **sampleSizeBIConnector** – Number of documents per database to sample when gathering schema information.
- **sampleRefreshIntervalBIConnector** – Interval in seconds at which the mongosql process re-samples data to create its relational schema.

#### as\_dict

Returns a json-able dict of only non-null properties.

#### Returns

```
classmethod fill_from_dict (data_dict: dict)
```

Fills the advanced options object from an Atlas Dict

**Parameters** `data_dict` (dict) – A dict as returned from Atlas

**Returns**

```
class atlasapi.clusters.AtlasBasicReplicaSet (name: str, size: atlasapi.clusters.InstanceSizeName = <InstanceSizeName.M10: 'M10>, disk_size: int = 10, provider: atlasapi.lib.ProviderName = <ProviderName.AWS: 'Amazon Web Services>, region: str = 'US_WEST_2', version: atlasapi.lib.MongoDBMajorVersion = <MongoDBMajorVersion.v4_0: '4.0>)
```

Bases: object

Helper object for the creation of a basic replica set with default options.

Only the cluster name is required.

Other parameters will default to An M10 cluster on AWS US\_WEST\_2 running 4.0 with a 10 GB disk.

**Args:** name: The name given to the cluster/replica set. size: The InstanceSizeName of the cluster/replica set disk\_size: Size of disks on all members provider: The Cloud provider region: The region in the cloud provider version: The MongoDB major version

**as\_dict()**

```
class atlasapi.clusters.ClusterConfig (backup_enabled: bool = False, cluster_type: atlasapi.lib.ClusterType = <ClusterType.REPLICASET: 'Replica Set>, disk_size_gb: int = 32, name: str = None, mongodb_major_version: atlasapi.lib.MongoDBMajorVersion = <MongoDBMajorVersion.v4_0: '4.0>, mongodb_version: Optional[str] = None, num_shards: int = 1, mongo_uri: Optional[str] = None, mongo_uri_updated: Optional[str] = None, mongo_uri_with_options: Optional[str] = None, paused: bool = False, pit_enabled: bool = False, replication_factor: Optional[int] = None, state_name: Optional[atlasapi.clusters.ClusterStates] = None, autoscaling: dict = None, replication_specs: atlasapi.clusters.ReplicationSpecs = None, srv_address: Optional[str] = None, providerSettings: Optional[atlasapi.clusters.ProviderSettings] = None, links: list = None, id: Optional[str] = None)
```

Bases: object

Stores the Atlas Cluster Config, is sent back to the API for any reconfigurations.

<https://docs.atlas.mongodb.com/reference/api/clusters-get-one/#http-response-elements>

**Args:** backup\_enabled: cluster\_type: disk\_size\_gb: name: mongodb\_major\_version: mongodb\_version: num\_shards: mongo\_uri: mongo\_uri\_updated: mongo\_uri\_with\_options: paused: pit\_enabled: replication\_factor: state\_name: autoscaling: replication\_specs: srv\_address: providerSettings: links:

**as\_create\_dict()** → dict

Returns the config object in a format acceptable for the POST (create) endpoint.

Removes properties which are read-only.

TODO: Refactor to identify which properties are RO in the spec, and automatically loop through and remove.

**Returns** dict: A dict containing a valid create object for the POST endpoint.

**as\_dict()** → dict

**as\_modify\_dict()** → dict

Returns the config object in a format acceptable for the PATCH (modify) endpoint.

Removes properties which are read-only.

TODO: Refactor to identify which properties are RO in the spec, and automatically loop through and remove.

**Returns** dict: A dict containing a valid create object for the POST endpoint.

**classmethod fill\_from\_dict(data\_dict: dict)**

**class atlasapi.clusters.ClusterStates**

Bases: enum.Enum

The states of Atlas clusters. RO attribute.

**CREATING = 'Creating'**

**DELETED = 'Deleted'**

**DELETING = 'Deleting'**

**IDLE = 'Idle'**

**REPAIRING = 'Repairing'**

**UNKNOWN = 'Unknown'**

**UPDATING = 'Updating'**

**class atlasapi.clusters.InstanceSizeName**

Bases: enum.Enum

The Atlas instance sizes, which are equivalent across all providers.

NVME suggixed types provide loval NVME disk.

**M0 = 'M0'**

**M10 = 'M10'**

**M100 = 'M100'**

**M140 = 'M140'**

**M2 = 'M2'**

**M20 = 'M20'**

**M200 = 'M200'**

**M200\_NVME = 'M200\_NVME'**

**M30 = 'M30'**

**M300 = 'M300'**

**M40 = 'M40'**

**M400 = 'M400'**

```
M400_NVME = 'M400_NVME'
M40_NVME = 'M40 NVME'
M5 = 'M5'
M50 = 'M50'
M50_NVME = 'M50 NVME'
M60 = 'M60'
M60_NVME = 'M60 NVME'
M80 = 'M80'
M80_NVME = 'M80 NVME'
R200 = 'R200'
R300 = 'R300'
R40 = 'R40'
R400 = 'R400'
R50 = 'R50'
R60 = 'R60'
R700 = 'R700'
R80 = 'R80'

class atlasapi.clusters.ProviderSettings(size: atlasapi.clusters.InstanceSizeName =
                                          <InstanceSizeName.M10: 'M10'>, provider:
                                          atlasapi.lib.ProviderName = <Provider-
                                          Name.AWS: 'Amazon Web Services'>, re-
                                          gion: str = 'US_WEST_1', autoScaling:
                                          Optional[dict] = None, diskIOPS: int = None,
                                          encryptEBSVolume: bool = True, volumeType:
                                          atlasapi.clusters.VolumeTypes = <Volume-
                                          Types.STANDARD: 'Standard'>)
```

Bases: object

**as\_dict()** → dict

**classmethod from\_dict(data\_dict: dict)**

```
class atlasapi.clusters.RegionConfig(electable_node_count: int = 3, priority: int = 7,
                                         read_only_node_count: int = 0, analytics_node_count:
                                         int = 0)
```

Bases: object

Configuration object for each region.

Allows for the configuration of each region independently. Includes sane defaults.

#### Parameters

- **electable\_node\_count** (*int*) – Number of electable nodes.
- **priority** – Priority of the region in the replica set.
- **read\_only\_node\_count** – Count of read\_only nodes.
- **analytics\_node\_count** – Count of analytics nodes.

```

class atlasapi.clusters.ReplicationSpecs (id: Optional[str] = 'c8026e1d-7522-484d-b65f-9171e28e0484', num_shards: Optional[int] = 1, zone_name: Optional[str] = None, regions_config: Optional[dict] = None)
    Bases: object
    as_create_dict()
    as_dict()
    classmethod from_dict (data_dict: dict)

class atlasapi.clusters.ShardedClusterConfig (backup_enabled: bool = False, cluster_type: atlasapi.lib.ClusterType = <ClusterType.REPLICASET: 'ReplicaSet'>, disk_size_gb: int = 32, name: str = None, mongodb_major_version: atlasapi.lib.MongoDBMajorVersion = <MongoDBMajorVersion.v4_0: '4.0'>, mongodb_version: Optional[str] = None, num_shards: int = 1, mongo_uri: Optional[str] = None, mongo_uri_updated: Optional[str] = None, mongo_uri_with_options: Optional[str] = None, paused: bool = False, pit_enabled: bool = False, replication_factor: Optional[int] = None, state_name: Optional[atlasapi.clusters.ClusterStates] = None, autoscaling: dict = {}, replication_specs: list = [], srv_address: Optional[str] = None, providerSettings: Optional[atlasapi.clusters.ProviderSettings] = None, links: list = None, id: Optional[str] = None)
    Bases: atlasapi.clusters.ClusterConfig
    as_dict() → dict

class atlasapi.clusters.TLSProtocols
    Bases: enum.Enum
    An enumeration.
    TLS1_0 = 'TLS1_0'
    TLS1_1 = 'TLS1_1'
    TLS1_2 = 'TLS1_2'
    TLS1_3 = 'TLS1_3'

class atlasapi.clusters.VolumeTypes
    Bases: enum.Enum
    The volume types available on atlas
    PROVISIONED = 'Provisioned'
    STANDARD = 'Standard'

```

## 1.5 atlasapi.events module

```
class atlasapi.events.AtlasCPSEvent (value_dict: dict)
    Bases: atlasapi.events._AtlasBaseEvent

class atlasapi.events.AtlasClusterEvent (value_dict: dict)
    Bases: atlasapi.events._AtlasBaseEvent

class atlasapi.events.AtlasDataExplorerEvent (value_dict: dict)
    Bases: atlasapi.events._AtlasUserBaseEvent

class atlasapi.events.AtlasEvent (value_dict: dict)
    Bases: atlasapi.events._AtlasBaseEvent

class atlasapi.events.AtlasFeatureEvent (value_dict: dict)
    Bases: atlasapi.events._AtlasUserBaseEvent

class atlasapi.events.AtlasHostEvent (value_dict: dict)
    Bases: atlasapi.events._AtlasBaseEvent

atlasapi.events.atlas_event_factory (value_dict: dict) → Union[atlasapi.events.AtlasEvent,
    atlasapi.events.AtlasDataExplorerEvent,
    atlasapi.events.AtlasClusterEvent,
    atlasapi.events.AtlasHostEvent,
    atlasapi.events.AtlasFeatureEvent,
    atlasapi.events.AtlasCPSEvent]
```

## 1.6 atlasapi.measurements module

### 1.7 atlasapi.whitelist module

```
class atlasapi.whitelist.WhitelistEntry (cidrBlock: str = None, comment: str = None, ipAd-
    dress: str = None, links: list = None, last_used: str
    = None, count: int = None, last_used_address: str
    = None)
    Bases: object

    as_dict () → dict
        Dumps obj as a json valid dict. :return:

    classmethod fill_from_dict (data_dict: dict)
        Fills the object from the standard Atlas API dictionary. :type data_dict: dict :param data_dict: :return:
```

## 1.8 atlasapi.errors module

Errors module

Provides all specific Exceptions

```
exception atlasapi.errors.ErrAtlasBackupError (c, details)
    Bases: atlasapi.errors.ErrAtlasGeneric

    Atlas : Atlas Backup

    Constructor
```

**Parameters**

- **c** (*int*) – HTTP code
- **details** (*dict*) – Response payload

**exception** atlasapi.errors.**ErrAtlasBadRequest** (*c, details*)Bases: *atlasapi.errors.ErrAtlasGeneric*

Atlas : Bad Request

Constructor

**Parameters**

- **c** (*int*) – HTTP code
- **details** (*dict*) – Response payload

**exception** atlasapi.errors.**ErrAtlasConflict** (*c, details*)Bases: *atlasapi.errors.ErrAtlasGeneric*

Atlas : Conflict

Constructor

**Parameters**

- **c** (*int*) – HTTP code
- **details** (*dict*) – Response payload

**exception** atlasapi.errors.**ErrAtlasDuplicateClusterName** (*c, details*)Bases: *atlasapi.errors.ErrAtlasGeneric*

Atlas : Duplicate Clustername

Constructor

**Parameters**

- **c** (*int*) – HTTP code
- **details** (*dict*) – Response payload

**exception** atlasapi.errors.**ErrAtlasForbidden** (*c, details*)Bases: *atlasapi.errors.ErrAtlasGeneric*

Atlas : Forbidden

Constructor

**Parameters**

- **c** (*int*) – HTTP code
- **details** (*dict*) – Response payload

**exception** atlasapi.errors.**ErrAtlasForbiddenWL** (*c, details*)Bases: *atlasapi.errors.ErrAtlasGeneric*

Atlas : Forbidden by WhiteList

Constructor

**Parameters**

- **c** (*int*) – HTTP code
- **details** (*dict*) – Response payload

**exception** atlasapi.errors.**ErrAtlasGeneric**(msg, c, details)

Bases: Exception

Atlas Generic Exception

Constructor

**Parameters**

- **msg** (*str*) – Short description of the error
- **c** (*int*) – HTTP code
- **details** (*dict*) – Response payload

**getAtlasResponse()**

Get details about the Atlas response

**Returns** HTTP code, Response payload

**Return type** int, str

**exception** atlasapi.errors.**ErrAtlasJobError**(c, details)

Bases: *atlasapi.errors.ErrAtlasGeneric*

Atlas : Job error Clustername

Constructor

**Parameters**

- **c** (*int*) – HTTP code
- **details** (*dict*) – Response payload

**exception** atlasapi.errors.**ErrAtlasMethodNotAllowed**(c, details)

Bases: *atlasapi.errors.ErrAtlasGeneric*

Atlas : Method Not Allowed

Constructor

**Parameters**

- **c** (*int*) – HTTP code
- **details** (*dict*) – Response payload

**exception** atlasapi.errors.**ErrAtlasNotFound**(c, details)

Bases: *atlasapi.errors.ErrAtlasGeneric*

Atlas : Not Found

Constructor

**Parameters**

- **c** (*int*) – HTTP code
- **details** (*dict*) – Response payload

**exception** atlasapi.errors.**ErrAtlasRestoreConflictError**(c, details)

Bases: *atlasapi.errors.ErrAtlasGeneric*

Atlas : RestoreConflictError

Constructor

**Parameters**

- **c** (*int*) – HTTP code
- **details** (*dict*) – Response payload

**exception** atlasapi.errors.**ErrAtlasServerErrors** (*c, details*)

Bases: *atlasapi.errors.ErrAtlasGeneric*

Atlas : Server Errors

Constructor

#### Parameters

- **c** (*int*) – HTTP code
- **details** (*dict*) – Response payload

**exception** atlasapi.errors.**ErrAtlasUnauthorized** (*c, details*)

Bases: *atlasapi.errors.ErrAtlasGeneric*

Atlas : Unauthorized

Constructor

#### Parameters

- **c** (*int*) – HTTP code
- **details** (*dict*) – Response payload

**exception** atlasapi.errors.**ErrConfirmationRequested** (*msg*)

Bases: Exception

No Confirmation provided

Constructor

#### Parameters **msg** (*str*) – Short description of the error

**exception** atlasapi.errors.**ErrPagination**

Bases: Exception

An issue occurs during a “Get All” function

**exception** atlasapi.errors.**ErrPaginationLimits** (*error\_code*)

Bases: Exception

Out of limit on ‘pageNum’ or ‘itemsPerPage’ parameters

Constructor

#### Parameters **error\_code** (*int*) – ERR\_PAGE\_NUM or ERR\_ITEMS\_PER\_PAGE

**ERR\_ITEMS\_PER\_PAGE** = 1

**ERR\_PAGE\_NUM** = 0

#### **checkAndRaise** (*itemsPerPage*)

Check and Raise an Exception if needed

#### Parameters

- **pageNum** (*int*) – Page number
- **itemsPerPage** (*int*) – Number of items per Page

**Raises** *ErrPaginationLimits* – If we are out of limits

```
exception atlasapi.errors.ErrRole
Bases: Exception
A role is not compatible with Atlas
```

## 1.9 atlasapi.network module

Network module

Module which handles the basic network operations with the Atlas API>

```
class atlasapi.network.Network(user, password, AuthMethod:
                                Union[requests.auth.HTTPDigestAuth,
                                requests.auth.HTTPBasicAuth] = <class 're-
                                quest.auth.HTTPDigestAuth'>)
Bases: object
```

Network constructor

### Parameters

- **user** (*str*) – user
- **password** (*str*) – password

**answer** (*c, details: Union[dict, \_io.BytesIO]*)

Answer will provide all necessary feedback for the caller

### Parameters

- **c** (*int*) – HTTP Code
- **details** (*dict*) – Response payload

**Returns** Response payload

**Return type** dict

### Raises

- ErrAtlasBadRequest
- ErrAtlasUnauthorized
- ErrAtlasForbidden
- ErrAtlasNotFound
- ErrAtlasMethodNotAllowed
- ErrAtlasConflict
- ErrAtlasServerErrors

**delete** (*uri*)

Delete request

**Parameters** **uri** (*str*) – URI

**Returns** API response

**Return type** Json

**Raises** Exception – Network issue

**get** (*uri*)

Get request

**Parameters** **uri** (*str*) – URI

**Returns** API response

**Return type** Json

**Raises** Exception – Network issue

**get\_file** (*uri*)

Get request which returns a binary file

**Parameters** **uri** (*str*) – URI

**Returns** API response as file

**Return type** Binary File

**Raises** Exception – Network issue

**patch** (*uri, payload*)

Patch request

**Parameters**

- **uri** (*str*) – URI
- **payload** (*dict*) – Content to patch

**Returns** API response

**Return type** Json

**Raises** Exception – Network issue

**post** (*uri, payload*)

Post request

**Parameters**

- **uri** (*str*) – URI
- **payload** (*dict*) – Content to post

**Returns** API response

**Return type** Json

**Raises** Exception – Network issue

## 1.10 atlasapi.settings module

Settings module

Provides few constants, APIs endpoints.

```
class atlasapi.settings.Settings
    Bases: object

    ACCEPTED = 202
    BAD_REQUEST = 400
    BASE_URL = 'https://cloud.mongodb.com'
```

```
CONFLICT = 409
CREATED = 201
FORBIDDEN = 403
METHOD_NOT_ALLOWED = 405
NOTFOUND = 404
NO_CONTENT = 204
SERVER_ERRORS = 500
SUCCESS = 200
UNAUTHORIZED = 401
URI_STUB = '/api/atlas/v1.0'
api_resources = {'Alerts': {'Acknowledge an Alert': '/api/atlas/v1.0/groups/%s/alerts'}}
databaseName = 'admin'
file_request_timeout = 360
itemsPerPage = 1000
itemsPerPageMax = 2000
itemsPerPageMin = 1
pageNum = 1
requests_timeout = 10
```

## 1.11 atlasapi.specs module

Specs module

Provides some high level objects useful to use the Atlas API.

```
class atlasapi.specs.AlertStatusSpec
```

## Alert Status

**CLOSED** = 'CLOSED'

**OPEN** = 'OPEN'

**TRACKING** = 'TRACKING'

Bases: object

A point in time container for an Atlas measurement.

For a certain period, granularity and measurementType holds a list fo measurementValues.

## Parameters

- **name** ([AtlasMeasurementTypes](#)) – The name of the measurement type
- **period** ([AtlasPeriods](#)) – The period the measurement covers
- **granularity** ([AtlasGranularities](#)) – The granularity used for the measurement
- **measurements** (*List [[AtlasMeasurementValue](#)]*) – A list of the actual measurement values

**as\_dict**

Returns the measurement as a dict, including the computed properties.

**Returns**

**Return type** dict

**date\_end**

The date of the last measurement

**Returns** The date of the last measurement.

**Return type** datetime

**date\_start**

The date of the first measurement.

**Returns** The date of the first measurement.

**Return type** datetime

**measurement\_stats**

Returns a statistical info for measurement data

**measurement\_stats\_friendly\_bytes**

Returns statistical info for measurement data in friendly bytes format

**measurement\_stats\_friendly\_number**

Returns statistical info for measurement data in friendly bytes format

**measurements**

Getter for the measurements.

**Returns** An iterator containing values objects.

**Return type** Iterator[[AtlasMeasurementValue](#)]

**measurements\_as\_tuples()****measurements\_count**

The count of measurements

**Returns** The count of measurements in the set

**Return type** int

**class atlasapi.specs.AtlasMeasurementTypes**

Bases: [atlasapi.lib.\\_GetAll](#)

Helper class for all available atlas measurements.

All classes and embedded classes have a `get_all` class method that returns an iterator of all measurements and sub measurements.

**class Asserts**

Bases: [atlasapi.lib.\\_GetAll](#)

`msg = 'ASSERT_MSG'`

```
regular = 'ASSERT_REGULAR'
user = 'ASSERT_USER'
warning = 'ASSERT_WARNING'

class CPU
    Bases: atlasapi.lib._GetAll

    class Process
        Bases: atlasapi.lib._GetAll
        children_kernel = 'PROCESS_CPU_CHILDREN_KERNEL'
        children_user = 'PROCESS_CPU_CHILDREN_USER'
        kernel = 'PROCESS_CPU_KERNEL'
        user = 'PROCESS_CPU_USER'

    class ProcessNormalized
        Bases: atlasapi.lib._GetAll
        children_kernel = 'PROCESS_NORMALIZED_CPU_CHILDREN_KERNEL'
        children_user = 'PROCESS_NORMALIZED_CPU_CHILDREN_USER'
        kernel = 'PROCESS_NORMALIZED_CPU_KERNEL'
        user = 'PROCESS_NORMALIZED_CPU_USER'

    class System
        Bases: atlasapi.lib._GetAll
        guest = 'SYSTEM_CPU_GUEST'
        iowait = 'SYSTEM_CPU_IOWAIT'
        irq = 'SYSTEM_CPU_IRQ'
        kernel = 'SYSTEM_CPU_KERNEL'
        nice = 'SYSTEM_CPU_NICE'
        softirq = 'SYSTEM_CPU_SOFTIRQ'
        steal = 'SYSTEM_CPU_STEAL'
        user = 'SYSTEM_CPU_USER'

    class SystemNormalized
        Bases: atlasapi.lib._GetAll
        guest = 'SYSTEM_NORMALIZED_CPU_GUEST'
        iowait = 'SYSTEM_NORMALIZED_CPU_IOWAIT'
        irq = 'SYSTEM_NORMALIZED_CPU_IRQ'
        kernel = 'SYSTEM_NORMALIZED_CPU_KERNEL'
        nice = 'SYSTEM_NORMALIZED_CPU_NICE'
        softirq = 'SYSTEM_NORMALIZED_CPU_SOFTIRQ'
        steal = 'SYSTEM_NORMALIZED_CPU_STEAL'
        user = 'SYSTEM_NORMALIZED_CPU_USER'
```

```
class Cache
    Bases: atlasapi.lib._GetAll
    bytes_read = 'CACHE_BYTES_READ_INTO'
    bytes_written = 'CACHE_BYTES_WRITTEN_FROM'
    dirty = 'CACHE_DIRTY_BYTES'
    used = 'CACHE_USED_BYTES'

class Cursors
    Bases: atlasapi.lib._GetAll
    open = 'CURSORS_TOTAL_OPEN'
    timed_out = 'CURSORS_TOTAL_TIMED_OUT'

class Db
    Bases: atlasapi.lib._GetAll
    data_size = 'DB_DATA_SIZE_TOTAL'
    storage = 'DB_STORAGE_TOTAL'

class DocumentMetrics
    Bases: atlasapi.lib._GetAll
    deleted = 'DOCUMENT_METRICS_DELETED'
    inserted = 'DOCUMENT_METRICS_INSERTED'
    returned = 'DOCUMENT_METRICS_RETURNED'
    updated = 'DOCUMENT_METRICS_UPDATED'

class ExtraInfo
    Bases: atlasapi.lib._GetAll
    page_faults = 'EXTRA_INFO_PAGE_FAULTS'

class GlobalLockCurrentQueue
    Bases: atlasapi.lib._GetAll
    readers = 'GLOBAL_LOCK_CURRENT_QUEUE_READERS'
    total = 'GLOBAL_LOCK_CURRENT_QUEUE_TOTAL'
    writers = 'GLOBAL_LOCK_CURRENT_QUEUE_WRITERS'

class Memory
    Bases: atlasapi.lib._GetAll
    mapped = 'MEMORY_MAPPED'
    resident = 'MEMORY_RESIDENT'
    virtual = 'MEMORY_VIRTUAL'

class Network
    Bases: atlasapi.lib._GetAll
    bytes_id = 'NETWORK_BYTES_IN'
    bytes_in = 'NETWORK_BYTES_IN'
    bytes_out = 'NETWORK_BYTES_OUT'
    num_requests = 'NETWORK_NUM_REQUESTS'
```

```
class Opcounter
    Bases: atlasapi.lib._GetAll

    class Repl
        Bases: atlasapi.lib._GetAll

            cmd = 'OPCOUNTER_REPL_CMD'
            delete = 'OPCOUNTER_REPL_DELETE'
            insert = 'OPCOUNTER_REPL_INSERT'
            update = 'OPCOUNTER_REPL_UPDATE'

            cmd = 'OPCOUNTER_CMD'
            delete = 'OPCOUNTER_DELETE'
            getmore = 'OPCOUNTER_GETMORE'
            insert = 'OPCOUNTER_INSERT'
            query = 'OPCOUNTER_QUERY'
            update = 'OPCOUNTER_UPDATE'

    class Operations
        Bases: atlasapi.lib._GetAll

        class ExecutionTime
            Bases: atlasapi.lib._GetAll

                commands = 'OP_EXECUTION_TIME_COMMANDS'
                reads = 'OP_EXECUTION_TIME_READS'
                writes = 'OP_EXECUTION_TIME_WRITES'

                scan_and_order = 'OPERATIONS_SCAN_AND_ORDER'

    class Oplog
        Bases: atlasapi.lib._GetAll

        master_time = 'OPLOG_MASTER_TIME'
        rate = 'OPLOG_RATE_GB_PER_HOUR'

    class QueryExecutor
        Bases: atlasapi.lib._GetAll

        scanned = 'QUERY_EXECUTOR_SCANNED'
        scanned_objects = 'QUERY_EXECUTOR_SCANNED_OBJECTS'

    class QueryTargetingScanned
        Bases: atlasapi.lib._GetAll

        objects_per_returned = 'QUERY_TARGETING_SCANNED_OBJECTS_PER_RETURNED'
        per_returned = 'QUERY_TARGETING_SCANNED_PER_RETURNED'

    class TicketsAvailable
        Bases: atlasapi.lib._GetAll

        reads = 'TICKETS_AVAILABLE_READS'
        writes = 'TICKETS_AVAILABLE_WRITES'

        connections = 'CONNECTIONS'
```

```
class atlasapi.specs.AtlasMeasurementValue(value_dict: dict)
Bases: object

as_dict() → dict

as_tuple
    Returns a MeasurementValue as a tuple, timestamp first. :rtype: Tuple[datetime,OptionalFloat] :return: A tuple with a datetime and a float

value_float

value_int

class atlasapi.specs.DatabaseUsersPermissionsSpecs(username: str, password: str = None, aws_iam_type: Optional[atlasapi.specs.IAMType] = None, databaseName='admin')
Bases: object

Permissions spec for Database User

Constructor

Parameters
    • username (str) – Username of the DB
    • password (str) – Password for the username
    • aws_iam_type (IAMType) – AWS IAM method by which the database applies IAM credentials to authenticates the database user. Atlas defaults to NONE. (optional)

Keyword Arguments databaseName (str) – Auth Database Name

add_role (databaseName: str, roleName: str, collectionName: NewType.<locals>.new_type = None)
Add one role

Parameters
    • databaseName (str :param roleName: :param databaseName: :type collectionName: str) – Database Name
    • roleName (str) – role

Keyword Arguments collectionName (str) – Collection

Raises ErrRole – role not compatible with the databaseName and/or collectionName

TODO: Need to test if this works correctly, looks like their may be a type problem.

add_roles (databaseName: str, roleNames: List[atlasapi.specs.RoleSpecs], collectionName: str = None)
Add multiple roles

Parameters
    • databaseName (str :param databaseName: Database Name :param roleNames: roles :param collectionName: Collection) – Database Name
    • roleNames (list of RoleSpecs) – roles

Keyword Arguments collectionName (str) – Collection

Raises ErrRoleException – role not compatible with the databaseName and/or collectionName

clear_roles()
```

```
getSpecs () → dict
Get specs

    Returns Representation of the object

    Return type dict

remove_role (databaseName, roleName, collectionName=None)
Remove one role

    Parameters
        • databaseName (str) – Database Name
        • roleName (RoleSpecs) – role

    Keyword Arguments collectionName (str) – Collection

remove_roles (databaseName, roleNames, collectionName=None)
Remove multiple roles

    Parameters
        • collectionName (str) –
        • databaseName (str) – Database Name
        • roleNames (list of RoleSpecs) – roles

    Keyword Arguments collectionName (str) – Collection

class atlasapi.specs.DatabaseUsersUpdatePermissionsSpecs (password=None)
Bases: atlasapi.specs.DatabaseUsersPermissionsSpecs

Update Permissions spec for Database User

Constructor

    Keyword Arguments password (str) – Password for the username

getSpecs ()
Get specs

    Returns Representation of the object

    Return type dict

class atlasapi.specs.Host (data: dict)
Bases: object

add_log_file (name: atlasapi.lib.AtlasLogNames, file: BinaryIO) → None
Adds the passed log file to the hosts object

    Parameters
        • name (AtlasLogNames) – The type of logfile to be appended.
        • file (BinaryIO) – The file to be appended

add_measurements (measurement) → None

get_measurement_for_host (atlas_obj, granularity: Optional[atlasapi.lib.AtlasGranularities] =
    None, period: Optional[atlasapi.lib.AtlasPeriods] = None, measurement:
    Optional[atlasapi.specs.AtlasMeasurementTypes] = None, iterable: bool = True) → Union[dict, Iterable[atlasapi.specs.AtlasMeasurement]]
Get measurement(s) for a host
```

Returns measurements for the Host object.

url: <https://docs.atlas.mongodb.com/reference/api/process-measurements/>

Accepts either a single measurement, but will retrieve more than one measurement if the measurement (using the `AtlasMeasurementTypes` class)

/api/atlas/v1.0/groups/{GROUP-ID}/processes/{HOST}:{PORT}/measurements

#### Keyword Arguments

- `host_obj` (`Host`) – the host
- `granularity` (`AtlasGranularities`) – the desired granularity
- `period` (`AtlasPeriods`) – The desired period
- `measurement` (`AtlasMeasurementTypes`) – The desired measurement or Measurement class
- `iterable` (`bool`) – To return an iterable high level object instead of a low level API response

**Returns** Iterable object representing this function OR Response payload

**Return type** Iterable[`AtlasMeasurement`] or dict

Raises:

```
class atlasapi.specs.HostLogFile(log_name: atlasapi.lib.AtlasLogNames = None,
                                    log_file_binary: BinaryIO = None)
```

Bases: object

```
class atlasapi.specs.IAMType
```

Bases: enum.Enum

An enumeration.

```
NONE = 'None'
```

```
ROLE = 'ROLE'
```

```
USER = 'USER'
```

```
class atlasapi.specs.ReplicaSetTypes
```

Bases: enum.Enum

An enumeration.

```
NO_DATA = 'No data available'
```

```
RECOVERING = 'Recovering'
```

```
REPLICA_PRIMARY = 'ReplicaSet primary'
```

```
REPLICA_SECONDARY = 'ReplicaSet secondary'
```

```
SHARD_CONFIG = 'Config server'
```

```
SHARD_CONFIG_PRIMARY = 'Config server'
```

```
SHARD_CONFIG_SECONDARY = 'Config server'
```

```
SHARD_MONGOS = 'Mongos router'
```

```
SHARD_PRIMARY = 'Shard primary'
```

```
SHARD_SECONDARY = 'Shard secondary'
```

```
SHARD_STANDALONE = 'Standalone'
```

```
class atlasapi.specs.RoleSpecs
Bases: object

    Roles supported by Atlas

    atlasAdmin = 'atlasAdmin'
    backup = 'backup'
    clusterMonitor = 'clusterMonitor'
    dbAdmin = 'dbAdmin'
    dbAdminAnyDatabase = 'dbAdminAnyDatabase'
    enableSharding = 'enableSharding'
    read = 'read'
    readAnyDatabase = 'readAnyDatabase'
    readWrite = 'readWrite'
    readWriteAnyDatabase = 'readWriteAnyDatabase'

class atlasapi.specs.StatisticalValues (data_list: list)
Bases: object

class atlasapi.specs.StatisticalValuesFriendly (data_list: list, data_type: str = None)
Bases: object

atlasapi.specs.clean_list (data_list: list) → list
    Returns a list with any none values removed

        Parameters data_list (list) – The list to be cleaned

    Returns (list): The list cleaned of None values.
```

## 1.12 atlasapi.maintenance\_window module

### Maint Window Module

The maintenanceWindow resource provides access to retrieve or update the current Atlas project maintenance window. To learn more about Maintenance Windows, see the Set Preferred Cluster Maintenance Start Time setting on the View/Modify Project Settings page.

```
class atlasapi.maintenance_window.MaintenanceWindow (day_of_week:           atlas-
                                                    api.maintenance_window.Weekdays
                                                    = <Weekdays.SUNDAY: 1>,
                                                    hour_of_day: int = 23, num-
                                                    ber_of_deferrals: int = 1,
                                                    start_asap: bool = False)

Bases: object

as_dict () → dict
    Returns the Maintenance object as a serializable dict

        Converts enums Returns:

as_update_dict () → dict
    Returns a dict with immutable properties removed. Returns: dict
```

```
classmethod from_dict(data_dict: dict)
    Creates a maint window definition from a dict. :param data_dict: An atlas formated dict
```

Returns:

```
class atlasapi.maintenance_window.Weekdays
```

Bases: enum.Enum

An enumeration.

```
FRIDAY = 6
```

```
MONDAY = 2
```

```
SATURDAY = 7
```

```
SUNDAY = 1
```

```
THURSDAY = 5
```

```
TUESDAY = 3
```

```
WEDNESDAY = 4
```

## 1.13 atlasapi.cloud\_backup module

Cloud Backups Module

Provides access to Cloud Backups and Cloud backup restore endpoints

```
class atlasapi.cloud_backup.CloudBackupRequest(cluster_name: str, retention_days: int = 1, description: str = 'Created by pyAtlasAPI')
```

Bases: object

as\_dict

```
class atlasapi.cloud_backup.CloudBackupSnapshot(id: Optional[str] = None, cloud_provider: Optional[atlasapi.lib.ProviderName] = None, created_at: Optional[datetime.datetime] = None, description: Optional[str] = None, expires_at: Optional[datetime.datetime] = None, links: Optional[List[T]] = None, masterkey_uuid: Optional[str] = None, members: Optional[list] = None, mongod_version: Optional[str] = None, replica_set_name: Optional[str] = None, snapshot_ids: Optional[list] = None, snapshot_type: Optional[atlasapi.cloud_backup.SnapshotType] = None, status: Optional[atlasapi.cloud_backup.SnapshotStatus] = None, storage_size_bytes: Optional[int] = None, type: Optional[atlasapi.lib.ClusterType] = None)
```

Bases: object

```
    classmethod from_dict(data_dict: dict)

class atlasapi.cloud_backup.DeliveryType
Bases: enum.Enum

An enumeration.

automated = 'Automated restore to Atlas cluster'
download = 'manual download of archived data directory'
pointInTime = 'Automated point in time restore to Atlas Cluster'

class atlasapi.cloud_backup.SnapshotRestore(delivery_type:           atlas-
                                              api.cloud_backup.DeliveryType,      snap-
                                              shot_id: str, target_cluster_name: str =
                                              None, target_group_id: str = None)
Bases: object

as_dict

class atlasapi.cloud_backup.SnapshotRestoreResponse(restore_id:       str,      de-
                                                       livery_type:           atlas-
                                                       api.cloud_backup.DeliveryType,
                                                       snapshot_id: str,     tar-
                                                       get_cluster_name: str,   tar-
                                                       get_group_id: str,   cancelled:
                                                       bool = False,   created_at:
                                                       datetime.datetime = None,
                                                       expired: bool = False,  ex-
                                                       pires_at:   datetime.datetime
                                                       = None,   finished_at:   date-
                                                       time.datetime = None,   links: list
                                                       = None,   snapshot_timestamp:
                                                       datetime.datetime = None,   tar-
                                                       get_deployment_item_name:
                                                       str = None,   delivery_url: str =
                                                       None)
Bases: atlasapi.cloud_backup.SnapshotRestore

    classmethod from_dict(data_dict)

class atlasapi.cloud_backup.SnapshotStatus
Bases: enum.Enum

An enumeration.

COMPLETED = 'Completed'
FAILED = 'Failed'
INPROGRESS = 'In Progress'
QUEUED = 'Queued'

class atlasapi.cloud_backup.SnapshotType
Bases: enum.Enum

An enumeration.

FALLBACK = 'Fallback'
ONDEMAND = 'On Demand'
```

---

```

SCHEDULED = 'Scheduled'

atlasapi.cloud_backup.try_bool(str_in: str) → bool
atlasapi.cloud_backup.try_date(str_in: str) → Optional[datetime.datetime]

```

## 1.14 atlasapi.lib module

```

class atlasapi.lib.AtlasGranularities
Bases: object

```

Helper class to create ISO 8601 durations to pass to the API

To add more possible granularities, add them here.

```
DAY = 'P1D'
```

```
FIVE_MINUTE = 'PT5M'
```

```
HOUR = 'PT1H'
```

```
MINUTE = 'PT1M'
```

```

class atlasapi.lib.AtlasLogNames
Bases: enum.Enum

```

The name of the log file that you want to retrieve:

```
MONGODB = 'mongodb.gz'
```

```
MONGOD_AUDIT = 'mongodb-audit-log.gz'
```

```
MONGOS = 'mongos.gz'
```

```
MONGOS_AUDIT = 'mongos-audit-log.gz'
```

```

class atlasapi.lib.AtlasPeriods
Bases: object

```

Helper class to create ISO 8601 durations to send to the Atlas period parameter.

To add more periods, add them here.

```
HOURS_1 = 'PT1H'
```

```
HOURS_24 = 'P1D'
```

```
HOURS_48 = 'P2D'
```

```
HOURS_8 = 'PT8H'
```

```
MINUTES_15 = 'PT15M'
```

```
MONTHS_1 = 'P1M'
```

```
MONTHS_2 = 'P2M'
```

```
WEEKS_1 = 'P7D'
```

```
WEEKS_4 = 'P28D'
```

```
YEARS_1 = 'P1Y'
```

```
YEARS_2 = 'P2Y'
```

```
class atlasapi.lib.AtlasUnits
Bases: enum.Enum

An enumeration.

BYTES = 'BYTES'
BYTES_PER_SECOND = 'BYTES_PER_SECOND'
GIGABYTES = 'GIGABYTES'
GIGABYTES_PER_HOUR = 'GIGABYTES_PER_HOUR'
MEGABYTES_PER_SECOND = 'MEGABYTES_PER_SECOND'
MILLISECONDS = 'MILLISECONDS'
PERCENT = 'PERCENT'
SCALAR = 'SCALAR'
SCALAR_PER_SECOND = 'SCALAR_PER_SECOND'

class atlasapi.lib.ClusterType
Bases: enum.Enum

The types of clusteres available in Atlas.

GEOSHARDED is a Global write cluster sharded by geo information.

GEOSHARDED = 'Global Cluster'
REPLICASET = 'Replica Set'
SHARDED = 'Sharded Cluster'
SHARDEDCLUSTER = 'Sharded Cluster'

class atlasapi.lib.LogLine(raw_line)
Bases: object

class atlasapi.lib.MongoDBMajorVersion
Bases: enum.Enum

An enumeration.

v3_4 = '3.4'
v3_6 = '3.6'
v4_0 = '4.0'
v4_2 = '4.2'
v4_4 = '4.4'
v5_0 = '5.0'
vX_x = 'Unknown'

class atlasapi.lib.ProviderName
Bases: enum.Enum

An enumeration.

AWS = 'Amazon Web Services'
AZURE = 'Microsoft Azure'
GCP = 'Google Cloud Platform'
```

---

```
TENANT = 'Shared Tier'
```

## 1.15 atlasapi.projects module

```
class atlasapi.projects.Project(name: str, org_id: str, created_date: Optional[datetime.datetime] = None, cluster_count: Optional[int] = None, id: Optional[str] = None, links: list = None, with_default_alert_settings: Optional[bool] = True, project_owner_id: str = None)
```

Bases: object

### **create\_dict**

A dictionary in the format Atlas API “create project expects”

Returns: A dictionary in the format Atlas API “create project expects”

```
classmethod for_create(name: str, org_id: str, with_default_alert_settings: bool = True, project_owner_id: str = None)
```

Creates a new Project object for use in creating a new project.

Only name and org\_id are required.

#### Parameters

- **project\_owner\_id (str)** – Unique 24-hexadecimal digit string that identifies the Atlas user account to be granted the Project Owner role on the specified project. If you set this parameter, it overrides the default value of the oldest Organization Owner.
- **name (str)** – The name of the project. You can use this value for populating the {GROUP-NAME} parameter of the /groups/byName/{GROUP-NAME} endpoint.
- **org\_id (str)** – The unique identifier of the Atlas organization to which the project belongs.
- **with\_default\_alert\_settings (bool)** – Flag that indicates whether to create the new project with the default alert settings enabled. This parameter defaults to true.

Returns: None

```
classmethod from_dict(data_dict)
```

Creates a Project object from a passed dict, in the format of the Atlas API.

Parameters **data\_dict (dict)** – A dictionary in the format of the Atlas API.

Returns: None

```
class atlasapi.projects.ProjectSettings(is_collect_db_stats: Optional[bool] = None, is_data_explorer: Optional[bool] = None, is_performance_advisor: Optional[bool] = None, is_realtime_perf: Optional[bool] = None, is_schema_advisor: Optional[bool] = None)
```

Bases: object

```
classmethod from_dict(data_dict: dict)
```

## 1.16 atlasapi.organizations module

```
class atlasapi.organizations.Organization(name: str, is_deleted: bool = False, links: Optional[list] = None, id: Optional[str] = None)
Bases: object
classmethod from_dict(data_dict: dict)
```

## Nested class for atlasapi.atlas::Atlas

---

### 2.1 Atlas.\_Clusters

**class** `Atlas._Clusters(atlas)`

Bases: `object`

Clusters API

see: <https://docs.atlas.mongodb.com/reference/api/clusters/>

Constructor

**Parameters** `atlas (Atlas)` – Atlas instance

**create\_basic\_rs** (`name: str, size: atlasapi.clusters.InstanceSizeName = <InstanceSizeName.M10: 'M10'>, disk_size: int = 10, provider: atlasapi.lib.ProviderName = <ProviderName.AWS: 'Amazon Web Services'>, region: str = 'US_WEST_2', version: atlasapi.lib.MongoDBMajorVersion = <MongoDBMajorVersion.v4_0: '4.0'>`) → `atlasapi.clusters.AtlasBasicReplicaSet`

Simplified method for creating a basic replica set with basic options.

**Return type** `AtlasBasicReplicaSet`

**Parameters**

- **name** (`str`) – The name for the cluster
- **size** (`InstanceSizeName`) – The Atlas Instance size, found in The InstanceSizeName enum
- **disk\_size** (`int`) – The size in GB for disk
- **provider** (`ProviderName`) – The cloud provider, found in ProviderName enum
- **region** (`str`) – The provider region to place the cluster.
- **version** (`MongoDBMajorVersion`) – The mongodb major version (enum)

**Returns** `AtlasBasicReplicaSet`

**create\_cluster** (*cluster: atlasapi.clusters.ClusterConfig*) → dict

Create a cluster

url: POST /api/atlas/v1.0/groups/{GROUP-ID}/clusters

**Parameters** **cluster** (*ClusterConfig*) – A Cluster Config Object

**Returns** Response payload

**Return type** dict

**delete\_cluster** (*cluster: str, areYouSure: bool = False*)

Delete a Cluster

url: <https://docs.atlas.mongodb.com/reference/api/clusters-delete-one/>

**Parameters** **cluster** (*str :param cluster: Cluster name :param areYouSure: safe flag to don't delete a cluster by mistake*) – Cluster name

**Keyword Arguments** **areYouSure** (*bool*) – safe flag to don't delete a cluster by mistake

**Returns** Response payload

**Return type** dict

**Raises**

- ErrConfirmationRequested – Need a confirmation to delete the cluster
- type areYouSure: bool

**get\_all\_clusters** (*pageNum=1, itemsPerPage=1000, iterable=False*)

Get All Clusters

url: <https://docs.atlas.mongodb.com/reference/api/clusters-get-all/>

**Keyword Arguments**

- **pageNum** (*int*) – Page number
- **itemsPerPage** (*int*) – Number of Users per Page
- **iterable** (*bool*) – To return an iterable high level object instead of a low level API response

**Returns** Iterable object representing this function OR Response payload

**Return type** *AtlasPagination* or dict

**Raises** ErrPaginationLimits – Out of limits

**get\_single\_cluster** (*cluster: str*) → dict

Get a Single Cluster

url: <https://docs.atlas.mongodb.com/reference/api/clusters-get-one/>

**Parameters** **cluster** (*str*) – The cluster name

**Returns** Response payload

**Return type** dict

**get\_single\_cluster\_advanced\_options** (*cluster: str, as\_obj: bool = True*) → Union[dict, atlasapi.clusters.AdvancedOptions]

Retrieves advanced options from a cluster, either as a obj, or optionally as a dict.

GET /groups/{GROUP-ID}/clusters/{CLUSTER-NAME}/processArgs

**Parameters**

- **cluster** (str) –
- **as\_obj** (bool) – True to return, AdvancedOptions, false for a dict

**Returns** AdvancedOptions object or dict

**get\_single\_cluster\_as\_obj** (cluster) → Union[atlasapi.clusters.ClusterConfig, atlasapi.clusters.ShardedClusterConfig]

Get a Single Cluster as data

url: <https://docs.atlas.mongodb.com/reference/api/clusters-get-one/>

**Parameters** **cluster** (str) – The cluster name

**Returns** Response payload

**Return type** *ClusterConfig*

**is\_existing\_cluster** (cluster) → bool

Check if the cluster exists

Not part of Atlas api but provided to simplify some code

**Parameters** **cluster** (str) – The cluster name

**Returns** The cluster exists or not

**Return type** bool

**modify\_cluster** (cluster: str, cluster\_config: Union[atlasapi.clusters.ClusterConfig, dict]) → dict

Modify a Cluster

Modifies an existing cluster in the project. Either from a full ClusterConfig object, or from a simple dict which contains the elements desired.

url: <https://docs.atlas.mongodb.com/reference/api/clusters-modify-one/>

**Return type** dict

**Parameters**

- **cluster** (str) – The name of the cluster to modify
- **cluster\_config** – A ClusterConfig object containing the new configuration, or a dict containing fragment.

**Returns** dict: A dictionary of the new cluster config

**modify\_cluster\_advanced\_options** (cluster: str, advanced\_options: atlasapi.clusters.AdvancedOptions, as\_obj: bool = True) → Union[atlasapi.clusters.AdvancedOptions, dict]

Modifies cluster advanced options using a AdvancedOptions object.

PATCH /groups/{GROUP-ID}/clusters/{CLUSTER-NAME}/processArgs

**Parameters**

- **cluster** (str) – The clutster name
- **advanced\_options** (*AdvancedOptions*) – An AdvancedOptions object with the options to be set.
- **as\_obj** (bool) – Return the new AdvancedOptions as an object.

**Returns**

```
modify_cluster_instance_size(cluster: str, new_cluster_size: atlasapi.clusters.InstanceSizeName) → dict
```

Modifies existing cluster by changing only the instance size.

Helper function using modify\_cluster :rtype: dict :type new\_cluster\_size: InstanceSizeName :type cluster: str :param cluster: The cluster name :param new\_cluster\_size: InstanceSizeName: The new size to use. :return: dict: the new cluster configuration dict

```
modify_cluster_tls(cluster: str, TLS_protocol: atlasapi.clusters.TLSProtocols, as_obj: bool = True) → atlasapi.clusters.TLSProtocols
```

Modifies cluster TLS settings.

```
pause_cluster(cluster: str, toggle_if_paused: bool = False) → dict
```

Pauses/Unpauses a cluster.

If you wish to unpause, set the toggle\_if\_paused param to True. :rtype: dict :type toggle\_if\_paused: bool :type cluster: str :param cluster: The name of the cluster :param toggle\_if\_paused: Set to true to unpause a paused cluster. :return: dict: The updated config

```
test_failover(cluster: str) → Optional[dict]
```

Triggers a primary failover for a cluster

Used for testing cluster resiliency.

**Return type** dict

**Parameters** **cluster** (str) –

**Returns** An empty dict

## 2.2 Atlas.\_DatabaseUsers

```
class Atlas._DatabaseUsers(atlas)
```

Bases: object

Database Users API

see: <https://docs.atlas.mongodb.com/reference/api/database-users/>

Constructor

**Parameters** **atlas** (Atlas) – Atlas instance

```
create_a_database_user(permissions) → dict
```

Create a Database User

url: <https://docs.atlas.mongodb.com/reference/api/database-users-create-a-user/>

**Parameters** **permissions** (DatabaseUsersPermissionsSpec) – Permissions to apply

**Returns** Response payload

**Return type** dict

```
delete_a_database_user(user: str) → dict
```

Delete a Database User

url: <https://docs.atlas.mongodb.com/reference/api/database-users-delete-a-user/>

**Parameters** **user** (str) – User to delete

**Returns** Response payload

**Return type** dict

**get\_a\_single\_database\_user** (*user: str*) → dict  
Get a Database User  
url: <https://docs.atlas.mongodb.com/reference/api/database-users-get-single-user/>

**Parameters** **user** (*str*) – User

**Returns** Response payload

**Return type** dict

**get\_all\_database\_users** (*pageNum: int = 1, itemsPerPage: int = 1000, iterable: bool = False*)  
Get All Database Users  
url: <https://docs.atlas.mongodb.com/reference/api/database-users-get-all-users/>

**Keyword Arguments**

- **pageNum** (*int*) – Page number
- **itemsPerPage** (*int*) – Number of Users per Page
- **iterable** (*bool*) – To return an iterable high level object instead of a low level API response

**Returns** Iterable object representing this function OR Response payload

**Return type** *AtlasPagination* or dict

**Raises** ErrPaginationLimits – Out of limits

**update\_a\_database\_user** (*user: str, permissions: atlasapi.specs.DatabaseUsersUpdatePermissionsSpecs*)  
→ dict  
Update a Database User  
url: <https://docs.atlas.mongodb.com/reference/api/database-users-update-a-user/>

**Parameters**

- **user** (*str*) – User
- **permissions** (*DatabaseUsersUpdatePermissionsSpecs*) – Permissions to apply

**Returns** Response payload

**Return type** dict

## 2.3 Atlas.\_Alerts

**class** **Atlas.\_Alerts** (*atlas*)  
Bases: object

Alerts API  
see: <https://docs.atlas.mongodb.com/reference/api/alerts/>

Constructor

**Parameters** **atlas** (*Atlas*) – Atlas instance

**acknowledge\_an\_alert** (*alert*, *until*, *comment=None*)

Acknowledge an Alert

url: <https://docs.atlas.mongodb.com/reference/api/alerts-acknowledge-alert/>

**Parameters**

- **alert** (*str*) – The alert id
- **until** (*datetime*) – Acknowledge until

**Keyword Arguments** **comment** (*str*) – The acknowledge comment

**Returns** Response payload :param comment:

**Return type** dict

**acknowledge\_an\_alert\_forever** (*alert*, *comment=None*)

Acknowledge an Alert forever

url: <https://docs.atlas.mongodb.com/reference/api/alerts-acknowledge-alert/>

**Parameters** **alert** (*str*) – The alert id

**Keyword Arguments** **comment** (*str*) – The acknowledge comment

**Returns** Response payload

**Return type** dict

**get\_all\_alerts** (*status=None*, *pageNum=1*, *itemsPerPage=1000*, *iterable=False*)

Get All Alerts

url: <https://docs.atlas.mongodb.com/reference/api/alerts-get-all-alerts/>

**Keyword Arguments**

- **status** (*AlertStatusSpec*) – filter on alerts status
- **pageNum** (*int*) – Page number
- **itemsPerPage** (*int*) – Number of Users per Page
- **iterable** (*bool*) – To return an iterable high level object instead of a low level API response

**Returns** Iterable object representing this function OR Response payload

**Return type** *AtlasPagination* or dict

**Raises** ErrPaginationLimits – Out of limits

**get\_an\_alert** (*alert: str*) → atlasapi.alerts.Alert

Get an Alert

url: <https://docs.atlas.mongodb.com/reference/api/alerts-get-alert/>

**Parameters** **alert** (*str*) – The alert id

**Returns** Response payload

**Return type** dict

**unacknowledge\_an\_alert** (*alert*)

Acknowledge an Alert

url: <https://docs.atlas.mongodb.com/reference/api/alerts-acknowledge-alert/>

**Parameters** **alert** (*str*) – The alert id

**Returns** Response payload

**Return type** dict

## 2.4 Atlas.\_MaintenanceWindows

**class** `Atlas._MaintenanceWindows(atlas)`

Bases: object

Maintenance Windows API

see: <https://docs.atlas.mongodb.com/reference/api/maintenance-windows/>

**The maintenanceWindow resource provides access to retrieve or update the current Atlas project maintenance window.** To learn more about Maintenance Windows, see the Set Preferred Cluster Maintenance Start Time setting on the View/Modify Project Settings page.

**Parameters** `atlas` ([Atlas](#)) – Atlas instance

**current\_config()** → `atlasapi.maintenance_window.MaintenanceWindow`

The current Maintainable Window configuration.

Returns: MaintainableWindow object

**defer()** → dict

Defers the currently scheduled maintenance window.

Returns: bool:

**set\_config(new\_config: atlasapi.maintenance\_window.MaintenanceWindow)** → bool

Sets the maint configuration to the values in the passed MaintWindow Object

Will only set those values which are not none in the MaintWindow Object. Currently you can not use this method to set a value as null. (This is not supported by the API anyway)

**Parameters** `new_config` – A MaintainenceWindow Object

Returns: bool: True is success

## 2.5 Atlas.\_Hosts

**class** `Atlas._Hosts(atlas)`

Bases: object

Hosts API

see: <https://docs.atlas.mongodb.com/reference/api/monitoring-and-logs/#monitoring-and-logs>

Constructor

**Parameters** `atlas` ([Atlas](#)) – Atlas instance

**cluster\_list**

Returns a list of clusters found in the hosts for this group.

**Returns** A set of cluster names

**Return type** Set[str]

**fill\_host\_list** (*for\_cluster*: *Optional[str] = None*) → *List[atlasapi.specs.Host]*

Fills the *self.hostname* property with the current hosts for the project/group.

Optionally, one can specify the *for\_cluster* parameter to fill the host list with hosts only from the specified cluster.

**Parameters** **for\_cluster** (*str*) – The name of the cluster for filter the host list.

**Returns** A list of *Host* objects

**Return type** *List[Host]*

**get\_log\_for\_host** (*host\_obj*: *atlasapi.specs.Host*, *log\_name*: *atlasapi.lib.AtlasLogNames = <AtlasLogNames.MONGODB: 'mongodb.gz'>*, *date\_from*: *datetime.datetime = None*, *date\_to*: *datetime.datetime = None*) → *BinaryIO*

Retrieves the designated logfile archive of designated *log\_name* and for the designated dates, and returns a binary file like object.

**Parameters**

- **host\_obj** (*Host*) – An atlas Host object to retrieve logs for
- **log\_name** (*AtlasLogNames*) – an *AtlasLogNames* type
- **date\_from** (*datetime.datetime*) – The datetime to start from
- **date\_to** (*datetime.datetime*) – The datetime to gather till

**Returns** A *BinaryIO* object containing the gzipped log file.

**Return type** *BinaryIO*

**get\_loglines\_for\_host** (*host\_obj*: *atlasapi.specs.Host*, *log\_name*: *atlasapi.lib.AtlasLogNames = <AtlasLogNames.MONGODB: 'mongodb.gz'>*, *date\_from*: *datetime.datetime = None*, *date\_to*: *datetime.datetime = None*) → *Iterable[atlasapi.lib.LogLine]*

Gathers the designated log file from Atlas, and then returns the lines therein contained.

Does so by downloading the gzip file into memory, unzipping and then unpacking each log line as a *LogLine* Object.

**Parameters**

- **host\_obj** (*Host*) – An atlas Host object to retrieve logs for
- **log\_name** (*str*) – an *AtlasLogNames* type
- **date\_from** (*datetime*) – The datetime to start from
- **date\_to** (*datetime*) – The datetime to gather till

**Returns** Yields *LogLine* objects, one for each logline found in the file.

**Return type** *Iterable[LogLine]*

**get\_logs\_for\_cluster** (*cluster\_name*: *str*, *log\_name*: *atlasapi.lib.AtlasLogNames = <AtlasLogNames.MONGODB: 'mongodb.gz'>*, *date\_from*: *datetime.datetime = None*, *date\_to*: *datetime.datetime = None*) → *Iterable[atlasapi.specs.Host]*

Yields A Host object per Host in the passed cluster with a File-like objects containing the gzipped log file requested for each host in the project using the same date filters and *log\_name* (type) in the *log\_files* property.

Currently the *log\_file* property (List) is usually with only one item. :param *log\_name*: The type of log to be retrieved :type *log\_name*: *AtlasLogNames* :param *date\_from*: Start of log entries :type *date\_from*: *datetime* :param *date\_to*: End of log entries :type *date\_to*: *datetime*

**Returns** Yields Host objects, with full host information as well as the logfile in the log\_files property.

**Return type** Iterable[[Host](#)]

```
get_logs_for_project (log_name: atlasapi.lib.AtlasLogNames = <AtlasLogNames.MONGODB: 'mongodb.gz'>, date_from: datetime.datetime = None, date_to: datetime.datetime = None) → Iterable[atlasapi.specs.Host]
```

Yields A Host object per Host in the project with a File-like objects containing the gzipped log file requested for each host in the project using the same date filters and log\_name (type) in the log\_files property.

Currently the log\_file property (List) is usually with only one item. :param log\_name: The type of log to be retrieved :type log\_name: AtlasLogNames :param date\_from: Start of log entries :type date\_from: datetime :param date\_to: End of log entries :type date\_to: datetime

**Returns** Yields Host objects, with full host information as well as the logfile in the log\_files property.

**Return type** Iterable[[Host](#)]

```
get_measurement_for_hosts (granularity: Optional[atlasapi.lib.AtlasGranularities] = None, period: Optional[atlasapi.lib.AtlasPeriods] = None, measurement: Optional[atlasapi.specs.AtlasMeasurementTypes] = None, return_data: bool = False)
```

Get measurement(s) for all hosts in the host\_list

Populates all hosts in the host\_list with the requested metric.

Multiple calls will append additional metrics to the same host object.

Please note that using the `return_data` param will also return the updated host objects, which may unnecessarily consume memory.

### Keyword Arguments

- **granularity** ([AtlasGranularities](#)) – the desired granularity
- **period** ([AtlasPeriods](#)) – The desired period
- **measurement** ([AtlasMeasurementTypes](#)) – The desired measurement or Measurement class

```
host_list_by_cluster (cluster_name: str) → Iterable[atlasapi.specs.Host]
```

Returns hosts belonging to the named cluster. :param cluster\_name: :type cluster\_name: str

**Returns** An interator of Host Objects.

**Return type** Iterable[[Host](#)]

**host\_list\_primaries**

Yields only hosts which are currently primary.

**host\_list\_secondaries**

Yields only hosts which are currently secondaries.

**host\_names**

Returns a simple list of host names without port

**Return type** Iterator[str]

```
update_host_list (host_obj: atlasapi.specs.Host) → None
```

Places a host into the host\_list property.

**Parameters** **host\_obj** – Host: A host object with measurements.

**Returns****Return type** None

## 2.6 Atlas.\_Events

**class** `Atlas._Events(atlas)`

Bases: object

Events API

see: <https://docs.atlas.mongodb.com/reference/api/events/>

Constructor

**Parameters** `atlas (Atlas)` – Atlas instance**all**

Returns all events for the current project/group.

**Returns** A list of event objects.**Return type** ListOfEvents**since** (`since_datetime: datetime.datetime`) → NewType.<locals>.new\_type

Returns all events since the passed datetime. (UTC)

**Returns****Return type** ListOfEvents

## 2.7 Atlas.\_Whitelist

**class** `Atlas._Whitelist(atlas)`

Bases: object

Whitelist API

see: <https://docs.atlas.mongodb.com/reference/api/whitelist/>

Constructor

**Parameters** `atlas (Atlas)` – Atlas instance**create\_whitelist\_entry** (`ip_address: str, comment: str`) → List[`atlasapi.whitelist.WhitelistEntry`]

Create a whitelist entry

url: <https://docs.atlas.mongodb.com/reference/api/whitelist-add-one/>**Parameters**

- **ip\_address** (`str`) – ip address to add to whitelist
- **comment** (`str`) – comment describing the whitelist entry

**Returns** Response payload**Return type** List[`WhitelistEntry`]

---

**delete\_a\_whitelist\_entry**(*ip\_address*: str) → dict  
Delete a whitelist entry  
url: <https://docs.atlas.mongodb.com/reference/api/whitelist-delete-one/>

**Parameters** **ip\_address** (str) – ip address to delete from whitelist  
**Returns** Response payload  
**Return type** dict

**get\_all\_whitelist\_entries**(*pageNum*: int = 1, *itemsPerPage*: int = 1000, *iterable*: bool = False) → Iterable[*atlasapi.whitelist.WhitelistEntry*]  
Get All whitelist entries  
url: <https://docs.atlas.mongodb.com/reference/api/whitelist-get-all/>

**Keyword Arguments**

- **pageNum** (int) – Page number
- **itemsPerPage** (int) – Number of Users per Page
- **iterable** (bool) – To return an iterable high level object instead of a low level API response

**Returns** Iterable object representing this function OR Response payload  
**Return type** *AtlasPagination* or dict  
**Raises** *ErrPaginationLimits* – Out of limits

**get\_whitelist\_entry**(*ip\_address*: str) → *atlasapi.whitelist.WhitelistEntry*  
Get a whitelist entry  
url: <https://docs.atlas.mongodb.com/reference/api/whitelist-get-one-entry/>

**Parameters** **ip\_address** (str) – ip address to fetch from whitelist  
**Returns** Response payload  
**Return type** *WhitelistEntry*

## 2.8 Atlas.\_CloudBackups

```
class Atlas._CloudBackups(atlas)
```

Bases: object

Cloud Backup API

see: <https://docs.atlas.mongodb.com/reference/api/cloud-backup/backup/backups/>

The CloudBackups resource provides access to retrieve the Cloud provider backup snapshots.

**Parameters** **atlas** (*Atlas*) – Atlas instance

**cancel\_snapshot\_restore\_request**(*cluster\_name*: str, *restore\_id*: str)  
Cancels a current backup restore request by restore\_id.  
Calls: <https://docs.atlas.mongodb.com/reference/api/cloud-backup/restore/delete-one-restore-job/>

**Parameters**

- **cluster\_name** – The name of the source cluster.
- **restore\_id** – The id of the (jobId) of the restore job.

```
create_snapshot_for_cluster(cluster_name: str, retention_days: int = 7, de-  
scription: str = None, as_obj: bool = True) →  
Union[atlasapi.cloud_backup.CloudBackupSnapshot, dict]
```

Creates and on demand snapshot for the passed cluster

#### Parameters

- **as\_obj** –
- **cluster\_name** –
- **retention\_days** –
- **description** –

```
get_backup_snapshot_for_cluster(cluster_name: str, snapshot_id:  
str, as_obj: bool = True) →  
Union[Iterable[atlasapi.cloud_backup.CloudBackupSnapshot],  
Iterable[dict]]
```

Get singe backup snapshot for a cluster.

Retrieves url: <https://docs.atlas.mongodb.com/reference/api/cloud-backup/backup/backups/>

**Keyword Arguments** **cluster\_name** (*str*) – The cluster name to fetch

**Returns** Iterable object representing this function OR Response payload

**Return type** *AtlasPagination* or dict

```
get_backup_snapshots_for_cluster(cluster_name: str, as_obj: bool = True) →  
Union[Iterable[atlasapi.cloud_backup.CloudBackupSnapshot],  
Iterable[dict]]
```

Get backup snapshots for a cluster.

Retrieves url: <https://docs.atlas.mongodb.com/reference/api/cloud-backup/backup/backups/>

**Keyword Arguments** **cluster\_name** (*str*) – The cluster name to fetch

**Returns** Iterable object representing this function OR Response payload

**Return type** *AtlasPagination* or dict

```
get_snapshot_restore_requests(cluster_name: str, restore_id: str = None, as_obj:  
bool = True) → Union[List[Union[dict, atlas-  
api.cloud_backup.SnapshotRestoreResponse]], atlas-  
api.cloud_backup.SnapshotRestoreResponse, dict]
```

**is\_existing\_snapshot** (*cluster\_name*: str, *snapshot\_id*: str) → bool

```
request_snapshot_restore(source_cluster_name: str, snapshot_id: str, target_cluster_name:  
str, delivery_type: atlasapi.cloud_backup.DeliveryType  
= <DeliveryType.automated: 'Automated restore to At-  
las cluster'>, allow_same: bool = False) → atlas-  
api.cloud_backup.SnapshotRestoreResponse
```

```
request_snapshot_restore_to_group(source_cluster_name: str, snapshot_id: str, tar-  
get_cluster_name: str, target_group_obj, deliv-  
ery_type: atlasapi.cloud_backup.DeliveryType  
= <DeliveryType.automated: 'Automated  
restore to Atlas cluster'>) → atlas-  
api.cloud_backup.SnapshotRestoreResponse
```

Requests a snapshot restore to another group/project.

Uses the passed *target\_group\_obj*, which is an *Atlas* object, to restore a snapshot from one group/project to another.

This method does not check if the source and destination clusters have the same name, since this would not be dangerous when these are in two groups.

#### Parameters

- **source\_cluster\_name** – the text name of the source cluster
- **snapshot\_id** – the uuid id of the snapshot to be restored
- **target\_cluster\_name** – the txt name of the destination cluster
- **target\_group\_obj** – Atlas: An Atlas object connected to the destination group.
- **delivery\_type** – DeliveryType: IF you want to download, or automatically restore on Atlas.

Returns:

## 2.9 Atlas.\_Projects

```
class Atlas._Projects(atlas)
```

Bases: object

Atlas Projects

see: <https://www.mongodb.com/docs/atlas/reference/api/projects/>

The groups resource provides access to retrieve or create Atlas projects.

**Parameters** `atlas` ([Atlas](#)) – Atlas instance

**get\_project\_teams** (`group_id: str = None`) → Iterable[`atlasapi.teams.TeamRoles`]

Retrieves all teams assigned to the passed project/group

Returns each team assigned to the project, along with the roles which are assigned.

Returns (Iterable[TeamRoles]): Yields TeamRole Objects.

**get\_project\_users** (`group_id: str = None, flatten_teams: Optional[bool] = None, include_org_users: Optional[bool] = None`) → Iterable[`atlasapi.atlas_users.AtlasUser`]

Yields all users (AtlasUser objects) associated with the group\_id.

#### Parameters

- **group\_id** (`str`) – The group id to search, will use the configured group for the Atlas instance if instantiated in this way.
- **flatten\_teams** (`bool`) – Flag that indicates whether the returned list should include users who belong to a team that is assigned a role in this project. You might not have assigned the individual users a role in this project.
- **include\_org\_users** (`bool`) – Flag that indicates whether the returned list should include users with implicit access to the project through the Organization Owner or Organization Read Only role. You might not have assigned the individual users a role in this project.

Returns (Iterable[AtlasUser]): An iterable of AtlasUser objects.

**project\_by\_id** (`project_id: str`) → `atlasapi.projects.Project`

Return project by name

**Parameters** `project_id` (`str`) – The project id (group\_id) to return

Returns (Project): A single Project

**project\_by\_name** (*project\_name: str*) → atlasapi.projects.Project  
Return project by name

**Parameters** **project\_name** (*str*) – The project name to return

Returns (Project): A single Project

**projects**

All Projects accessible by the current authed user/key Gets all projects for which the authed key has access.

Returns (Iterable[Project]): Yields Project Objects.

**settings**

**user\_count** (*group\_id: str = None, flatten\_teams: Optional[bool] = None, include\_org\_users: Optional[bool] = None*) → int  
Returns count of users added to this project

**Parameters**

- **group\_id** (*str*) – The group id to search, will use the configured group for the Atlas instance if
- **in this way.** (*instantiated*) –
- **flatten\_teams** (*bool*) – Flag that indicates whether the returned list should include users who belong to a team that is assigned a role in this project. You might not have assigned the individual users a role in this project.
- **include\_org\_users** (*bool*) – Flag that indicates whether the returned list should include users with implicit access to the project through the Organization Owner or Organization Read Only role. You might not have assigned the individual users a role in this project.

might not have assigned the individual users a role in this project.

Returns (int): Count of users.

## 2.10 Atlas.\_Organizations

**class** **Atlas.\_Organizations** (*atlas*)  
Bases: object

Atlas Organizations  
see: <https://www.mongodb.com/docs/atlas/reference/api/organizations/>

TThe orgs resource provides access to manage Atlas organizations.

**Parameters** **atlas** (*Atlas*) – Atlas instance

**count**

Count of Organizations accessible by the authed user/key.

Returns (int):

**organization\_by\_id** (*org\_id: str*) → atlasapi.organizations.Organization  
Single organization searched by org\_id.

**Parameters** **org\_id** (*str*) –

Returns (Organization): a single Organization object.

**organization\_by\_name** (*org\_name: str*) → atlasapi.organizations.Organization

Singe organization searched by name.

**Parameters** **org\_name** – Organization name with which to filter the returned list. Performs a case-insensitive search for organizations which exactly match the specified name.

Returns (Organization): a single Organization object.

**organizations**

All Organizations accessible by the current authed user/key Gets all Organizations for which the authed key has access.

Returns (Iterable[Organization]): Yields Organization Objects.



# CHAPTER 3

---

## atlascli - A Command line program for MongoDB Atlas

---

The command line help for atlascli.py:

```
$ python atlascli/cli.py -h
usage: atlascli [-h] [--publickey PUBLICKEY] [--privatekey PRIVATEKEY]
                 [--atlasgroup ATLASGROUP] [--format {short,full}]
                 [--resource {organization,project,cluster}] [--id ID]
                 [--debug] [--list]

A command line interface too the MongoDB Atlasdatabase as a
service.https://www.mongodb.com/cloud/atlas for more infoSee also
https://docs.atlas.mongodb.com/configure-api-access/#programmatic-api-keysFor
how to obtain a programmatic API key required to access the API

optional arguments:
-h, --help            show this help message and exit
--publickey PUBLICKEY
                     MongoDB Atlas public API key
--privatekey PRIVATEKEY
                     MongoDB Atlas private API key
--atlasgroup ATLASGROUP
                     Default group (aka project)
--format {short,full}
                     Format for output of list command [default: short]
--resource {organization,project,cluster}
                     Which resource type are we operating on:organization,
                     project or cluster? [default: cluster]
--id ID              Specify a resource id
--debug              Turn on logging at debug level [default: False]
--list               List a set of resources [default: False]
```



# CHAPTER 4

---

## Indices and tables

---

- genindex
- modindex
- search



---

## Python Module Index

---

### a

atlasapi.alerts, 5  
atlasapi.atlas, 3  
atlasapi.atlas\_types, 5  
atlasapi.cloud\_backup, 25  
atlasapi.clusters, 5  
atlasapi.errors, 10  
atlasapi.events, 10  
atlasapi.lib, 27  
atlasapi.maintenance\_window, 24  
atlasapi.network, 14  
atlasapi.organizations, 30  
atlasapi.projects, 29  
atlasapi.settings, 15  
atlasapi.specs, 16  
atlasapi.whitelist, 10



---

## Index

---

### A

ACCEPTED (*atlasapi.settings.Settings* attribute), 15  
acknowledge\_an\_alert() (*atlasapi.atlas.Atlas.\_Alerts* method), 35  
acknowledge\_an\_alert\_forever() (*atlasapi.atlas.Atlas.\_Alerts* method), 36  
add\_log\_file() (*atlasapi.specs.Host* method), 22  
add\_measurements() (*atlasapi.specs.Host* method), 22  
add\_role() (*atlasapi.specs.DatabaseUsersPermissionsSpecs* method), 21  
add\_roles() (*atlasapi.specs.DatabaseUsersPermissionsSpecs* method), 21  
AdvancedOptions (*class in atlasapi.clusters*), 5  
Alert (*class in atlasapi.alerts*), 5  
AlertsGetAll (*class in atlasapi.atlas*), 3  
AlertStatusSpec (*class in atlasapi.specs*), 16  
all (*atlasapi.atlas.Atlas.\_Events* attribute), 40  
answer() (*atlasapi.network.Network* method), 14  
api\_resources (*atlasapi.settings.Settings* attribute), 16  
as\_create\_dict() (*atlasapi.clusters.ClusterConfig* method), 6  
as\_create\_dict() (*atlasapi.clusters.ReplicationSpecs* method), 9  
as\_dict (*atlasapi.cloud\_backup.CloudBackupRequest* attribute), 25  
as\_dict (*atlasapi.cloud\_backup.SnapshotRestore* attribute), 26  
as\_dict (*atlasapi.clusters.AdvancedOptions* attribute), 5  
as\_dict (*atlasapi.specs.AtlasMeasurement* attribute), 17  
as\_dict() (*atlasapi.clusters.AtlasBasicReplicaSet* method), 6  
as\_dict() (*atlasapi.clusters.ClusterConfig* method), 7  
as\_dict() (*atlasapi.clusters.ProviderSettings* method), 8  
as\_dict() (*atlasapi.clusters.ReplicationSpecs* method), 9  
as\_dict() (*atlasapi.clusters.ShardedClusterConfig* method), 9  
as\_dict() (*atlasapi.maintenance\_window.MaintenanceWindow* method), 24  
as\_dict() (*atlasapi.specs.AtlasMeasurementValue* method), 21  
as\_dict() (*atlasapi.whitelist.WhitelistEntry* method), 10  
as\_modify\_dict() (*atlasapi.clusters.ClusterConfig* method), 7  
as\_tuple (*atlasapi.specs.AtlasMeasurementValue* attribute), 21  
as\_update\_dict() (*atlasapi.maintenance\_window.MaintenanceWindow* method), 24  
Atlas (*class in atlasapi.atlas*), 3  
Atlas.\_Alerts (*class in atlasapi.atlas*), 35  
Atlas.\_CloudBackups (*class in atlasapi.atlas*), 41  
Atlas.\_Clusters (*class in atlasapi.atlas*), 31  
Atlas.\_DatabaseUsers (*class in atlasapi.atlas*), 34  
Atlas.\_Events (*class in atlasapi.atlas*), 40  
Atlas.\_Hosts (*class in atlasapi.atlas*), 37  
Atlas.\_MaintenanceWindows (*class in atlasapi.atlas*), 37  
Atlas.\_Organizations (*class in atlasapi.atlas*), 44  
Atlas.\_Projects (*class in atlasapi.atlas*), 43  
Atlas.\_Whitelist (*class in atlasapi.atlas*), 40  
atlas\_event\_factory() (*in module* *atlasapi.events*), 10  
atlasAdmin (*atlasapi.specs.RoleSpecs* attribute), 24  
atlasapi.alerts (*module*), 5  
atlasapi.atlas (*module*), 3  
atlasapi.atlas\_types (*module*), 5  
atlasapi.cloud\_backup (*module*), 25  
atlasapi.clusters (*module*), 5  
atlasapi.errors (*module*), 10  
atlasapi.events (*module*), 10  
atlasapi.lib (*module*), 27

atlasapi.maintenance\_window (*module*), 24  
atlasapi.network (*module*), 14  
atlasapi.organizations (*module*), 30  
atlasapi.projects (*module*), 29  
atlasapi.settings (*module*), 15  
atlasapi.specs (*module*), 16  
atlasapi.whitelist (*module*), 10  
AtlasBasicReplicaSet (*class* in *atlasapi.clusters*), 6  
AtlasClusterEvent (*class* in *atlasapi.events*), 10  
AtlasCPSEvent (*class* in *atlasapi.events*), 10  
AtlasDataExplorerEvent (*class* in *atlasapi.events*), 10  
AtlasEvent (*class* in *atlasapi.events*), 10  
AtlasFeatureEvent (*class* in *atlasapi.events*), 10  
AtlasGranularities (*class* in *atlasapi.lib*), 27  
AtlasHostEvent (*class* in *atlasapi.events*), 10  
AtlasLogNames (*class* in *atlasapi.lib*), 27  
AtlasMeasurement (*class* in *atlasapi.specs*), 16  
AtlasMeasurementTypes (*class* in *atlasapi.specs*), 17  
AtlasMeasurementTypes.Asserts (*class* in *atlasapi.specs*), 17  
AtlasMeasurementTypes.Cache (*class* in *atlasapi.specs*), 18  
AtlasMeasurementTypes.CPU (*class* in *atlasapi.specs*), 18  
AtlasMeasurementTypes.CPU.Process (*class* in *atlasapi.specs*), 18  
AtlasMeasurementTypes.CPU.ProcessNormalized (*class* in *atlasapi.specs*), 18  
AtlasMeasurementTypes.CPU.System (*class* in *atlasapi.specs*), 18  
AtlasMeasurementTypes.CPU.SystemNormalized (*class* in *atlasapi.specs*), 18  
AtlasMeasurementTypes.Cursors (*class* in *atlasapi.specs*), 19  
AtlasMeasurementTypes.Db (*class* in *atlasapi.specs*), 19  
AtlasMeasurementTypes.DocumentMetrics (*class* in *atlasapi.specs*), 19  
AtlasMeasurementTypes.ExtraInfo (*class* in *atlasapi.specs*), 19  
AtlasMeasurementTypes.GlobalLockCurrentQueue (*class* in *atlasapi.specs*), 19  
AtlasMeasurementTypes.Memory (*class* in *atlasapi.specs*), 19  
AtlasMeasurementTypes.Network (*class* in *atlasapi.specs*), 19  
AtlasMeasurementTypes.Opcounter (*class* in *atlasapi.specs*), 19  
AtlasMeasurementTypes.Opcounter.Repl (*class* in *atlasapi.specs*), 20  
AtlasMeasurementTypes.Operations (*class* in *atlasapi.specs*), 20  
AtlasMeasurementTypes.Operations.ExecutionTime (*class* in *atlasapi.specs*), 20  
AtlasMeasurementTypes.Oplog (*class* in *atlasapi.specs*), 20  
AtlasMeasurementTypes.QueryExecutor (*class* in *atlasapi.specs*), 20  
AtlasMeasurementTypes.QueryTargetingScanned (*class* in *atlasapi.specs*), 20  
AtlasMeasurementTypes.TicketsAvailable (*class* in *atlasapi.specs*), 20  
AtlasMeasurementValue (*class* in *atlasapi.specs*), 20  
AtlasPagination (*class* in *atlasapi.atlas*), 4  
AtlasPeriods (*class* in *atlasapi.lib*), 27  
AtlasUnits (*class* in *atlasapi.lib*), 27  
automated (*atlasapi.cloud\_backup.DeliveryType* attribute), 26  
AWS (*atlasapi.lib.ProviderName* attribute), 28  
AZURE (*atlasapi.lib.ProviderName* attribute), 28

## B

backup (*atlasapi.specs.RoleSpecs* attribute), 24  
BAD\_REQUEST (*atlasapi.settings.Settings* attribute), 15  
BASE\_URL (*atlasapi.settings.Settings* attribute), 15  
BYTES (*atlasapi.lib.AtlasUnits* attribute), 28  
bytes\_id (*atlasapi.specs.AtlasMeasurementTypes.Network* attribute), 19  
bytes\_in (*atlasapi.specs.AtlasMeasurementTypes.Network* attribute), 19  
bytes\_out (*atlasapi.specs.AtlasMeasurementTypes.Network* attribute), 19  
BYTES\_PER\_SECOND (*atlasapi.lib.AtlasUnits* attribute), 28  
bytes\_read (*atlasapi.specs.AtlasMeasurementTypes.Cache* attribute), 19  
bytes\_written (*atlasapi.specs.AtlasMeasurementTypes.Cache* attribute), 19

## C

cancel\_snapshot\_restore\_request () (*atlasapi.atlas.AtlasCloudBackups* method), 41  
checkAndRaise () (*atlasapi.errors.ErrPaginationLimits* method), 13  
children\_kernel (*atlasapi.specs.AtlasMeasurementTypes.CPU.Process* attribute), 18  
children\_kernel (*atlasapi.specs.AtlasMeasurementTypes.CPU.ProcessNormalized* attribute), 18  
children\_user (*atlasapi.specs.AtlasMeasurementTypes.CPU.Process*

*attribute), 18*

*children\_user (atlas-  
api.specs.AtlasMeasurementTypes.CPU.ProcessNormalized  
attribute), 18*

*clean\_list () (in module atlasapi.specs), 24*

*clear\_roles () (atlas-  
api.specs.DatabaseUsersPermissionsSpecs  
method), 21*

*CLOSED (atlasapi.specs.AlertStatusSpec attribute), 16*

*CloudBackupRequest (class in atlas-  
api.cloud\_backup), 25*

*CloudBackupSnapshot (class in atlas-  
api.cloud\_backup), 25*

*CloudBackupSnapshotsGetAll (class in atlas-  
api.atlas), 4*

*cluster\_list (atlasapi.atlas.Atlas.\_Hosts attribute),  
37*

*ClusterConfig (class in atlasapi.clusters), 6*

*clusterMonitor (atlasapi.specs.RoleSpecs attribute), 24*

*ClustersGetAll (class in atlasapi.atlas), 4*

*ClusterStates (class in atlasapi.clusters), 7*

*ClusterType (class in atlasapi.lib), 28*

*cmd (atlasapi.specs.AtlasMeasurementTypes.Opcounter  
attribute), 20*

*cmd (atlasapi.specs.AtlasMeasurementTypes.OpcounterRepk  
attribute), 20*

*commands (atlasapi.specs.AtlasMeasurementTypes.Operations.ExecutionTime  
attribute), 20*

*COMPLETED (atlasapi.cloud\_backup.SnapshotStatus attribute), 26*

*CONFLICT (atlasapi.settings.Settings attribute), 15*

*connections (atlasapi.specs.AtlasMeasurementTypes  
attribute), 20*

*count (atlasapi.atlas.Atlas.\_Organizations attribute),  
44*

*create\_a\_database\_user () (atlas-  
api.atlas.Atlas.\_DatabaseUsers method),  
34*

*create\_basic\_rs () (atlasapi.atlas.Atlas.\_Clusters  
method), 31*

*create\_cluster () (atlasapi.atlas.Atlas.\_Clusters  
method), 31*

*create\_dict (atlasapi.projects.Project attribute), 29*

*create\_snapshot\_for\_cluster () (atlas-  
api.atlas.Atlas.\_CloudBackups method), 41*

*create\_whitelist\_entry () (atlas-  
api.atlas.Atlas.\_Whitelist method), 40*

*CREATED (atlasapi.settings.Settings attribute), 16*

*CREATING (atlasapi.clusters.ClusterStates attribute), 7*

*current\_config () (atlas-  
api.atlas.Atlas.\_MaintenanceWindows  
method), 37*

**D**

*data\_size (atlasapi.specs.AtlasMeasurementTypes.Db  
attribute), 19*

*databaseName (atlasapi.settings.Settings attribute),  
16*

*DatabaseUsers GetAll (class in atlasapi.atlas), 4*

*DatabaseUsersPermissionsSpecs (class in at-  
lasapi.specs), 21*

*DatabaseUsersUpdatePermissionsSpecs  
(class in atlasapi.specs), 22*

*date\_end (atlasapi.specs.AtlasMeasurement attribute),  
17*

*date\_start (atlasapi.specs.AtlasMeasurement attribute), 17*

*DAY (atlasapi.lib.AtlasGranularities attribute), 27*

*dbAdmin (atlasapi.specs.RoleSpecs attribute), 24*

*dbAdminAnyDatabase (atlasapi.specs.RoleSpecs attribute), 24*

*defer () (atlasapi.atlas.Atlas.\_MaintenanceWindows  
method), 37*

*delete (atlasapi.specs.AtlasMeasurementTypes.Opcounter  
attribute), 20*

*delete (atlasapi.specs.AtlasMeasurementTypes.Opcounter.Repl  
attribute), 20*

*delete () (atlasapi.network.Network method), 14*

*delete\_a\_database\_user () (atlas-  
api.atlas.Atlas.\_DatabaseUsers method),  
34*

*delete\_a\_whitelist\_entry () (atlas-  
api.atlas.Atlas.\_Whitelist method), 40*

*delete\_cluster () (atlasapi.atlas.Atlas.\_Clusters  
method), 32*

*DELETED (atlasapi.clusters.ClusterStates attribute), 7*

*deleted (atlasapi.specs.AtlasMeasurementTypes.DocumentMetrics  
attribute), 19*

*DELETING (atlasapi.clusters.ClusterStates attribute), 7*

*DeliveryType (class in atlasapi.cloud\_backup), 26*

*dirty (atlasapi.specs.AtlasMeasurementTypes.Cache  
attribute), 19*

*download (atlasapi.cloud\_backup.DeliveryType attribute), 26*

**E**

*enableSharding (atlasapi.specs.RoleSpecs attribute), 24*

*ERR\_ITEMS\_PER\_PAGE (atlas-  
api.errors.ErrPaginationLimits attribute),  
13*

*ERR\_PAGE\_NUM (atlasapi.errors.ErrPaginationLimits  
attribute), 13*

*ErrAtlasBackupError, 10*

*ErrAtlasBadRequest, 11*

*ErrAtlasConflict, 11*

*ErrAtlasDuplicateClusterName, 11*

ErrAtlasForbidden, 11  
ErrAtlasForbiddenWL, 11  
ErrAtlasGeneric, 11  
ErrAtlasJobError, 12  
ErrAtlasMethodNotAllowed, 12  
ErrAtlasNotFound, 12  
ErrAtlasRestoreConflictError, 12  
ErrAtlasServerErrors, 13  
ErrAtlasUnauthorized, 13  
ErrConfirmationRequested, 13  
ErrPagination, 13  
ErrPaginationLimits, 13  
ErrRole, 13  
EventsGetForProject (*class in atlasapi.atlas*), 4

**F**

FAILED (*atlasapi.cloud\_backup.SnapshotStatus attribute*), 26  
FALLBACK (*atlasapi.cloud\_backup.SnapshotType attribute*), 26  
fetch() (*atlasapi.atlas.Alerts GetAll method*), 3  
fetch() (*atlasapi.atlas.Events GetForProject method*), 4  
file\_request\_timeout (*atlasapi.settings.Settings attribute*), 16  
fill\_from\_dict() (*atlasapi.clusters.AdvancedOptions class method*), 5  
fill\_from\_dict() (*atlasapi.clusters.ClusterConfig class method*), 7  
fill\_from\_dict() (*atlasapi.whitelist.WhitelistEntry class method*), 10  
fill\_host\_list() (*atlasapi.atlas.Atlas.\_Hosts method*), 37  
FIVE\_MINUTE (*atlasapi.lib.AtlasGranularities attribute*), 27  
for\_create() (*atlasapi.projects.Project class method*), 29  
FORBIDDEN (*atlasapi.settings.Settings attribute*), 16  
FRIDAY (*atlasapi.maintenance\_window.Weekdays attribute*), 25  
from\_dict() (*atlasapi.cloud\_backup.CloudBackupSnapshot class method*), 25  
from\_dict() (*atlasapi.cloud\_backup.SnapshotRestoreResponse class method*), 26  
from\_dict() (*atlasapi.clusters.ProviderSettings class method*), 8  
from\_dict() (*atlasapi.clusters.ReplicationSpecs class method*), 9  
from\_dict() (*atlasapi.maintenance\_window.MaintenanceWindow class method*), 24  
from\_dict() (*atlasapi.organizations.Organization class method*), 30  
from\_dict() (*atlasapi.projects.Project class method*), 29  
from\_dict() (*atlasapi.projects.ProjectSettings class method*), 29

**G**

GCP (*atlasapi.lib.ProviderName attribute*), 28  
GEOSHARDED (*atlasapi.lib.ClusterType attribute*), 28  
get() (*atlasapi.network.Network method*), 14  
get\_a\_single\_database\_user() (*atlasapi.atlas.Atlas.\_DatabaseUsers method*), 35  
get\_all\_alerts() (*atlasapi.atlas.Atlas.\_Alerts method*), 36  
get\_all\_clusters() (*atlasapi.atlas.Atlas.\_Clusters method*), 32  
get\_all\_database\_users() (*atlasapi.atlas.Atlas.\_DatabaseUsers method*), 35  
get\_all\_whitelist\_entries() (*atlasapi.atlas.Atlas.\_Whitelist method*), 41  
get\_an\_alert() (*atlasapi.atlas.Atlas.\_Alerts method*), 36  
get\_backup\_snapshot\_for\_cluster() (*atlasapi.atlas.Atlas.\_CloudBackups method*), 42  
get\_backup\_snapshots\_for\_cluster() (*atlasapi.atlas.Atlas.\_CloudBackups method*), 42  
get\_file() (*atlasapi.network.Network method*), 15  
get\_log\_for\_host() (*atlasapi.atlas.Atlas.\_Hosts method*), 38  
get\_loglines\_for\_host() (*atlasapi.atlas.Atlas.\_Hosts method*), 38  
get\_logs\_for\_cluster() (*atlasapi.atlas.Atlas.\_Hosts method*), 38  
get\_logs\_for\_project() (*atlasapi.atlas.Atlas.\_Hosts method*), 39  
get\_measurement\_for\_host() (*atlasapi.specs.Host method*), 22  
get\_measurement\_for\_hosts() (*atlasapi.atlas.Atlas.\_Hosts method*), 39  
get\_project\_teams() (*atlasapi.atlas.Atlas.\_Projects method*), 43  
get\_project\_users() (*atlasapi.atlas.Atlas.\_Projects method*), 43  
get\_single\_cluster() (*atlasapi.atlas.Atlas.\_Clusters method*), 32  
get\_single\_cluster\_advanced\_options() (*atlasapi.atlas.Atlas.\_Clusters method*), 32  
get\_single\_cluster\_as\_obj() (*atlasapi.atlas.Atlas.\_Clusters method*), 33

get\_snapshot\_restore\_requests() (atlasapi.atlas.\_CloudBackups method), 42  
 get\_whitelist\_entry() (atlasapi.atlas.\_Whitelist method), 41  
 getAtlasResponse() (atlasapi.errors.ErrAtlasGeneric method), 12  
 getmore(atlasapi.specs.AtlasMeasurementTypes.Opcounters attribute), 20  
 getSpecs() (atlasapi.specs.DatabaseUsersPermissionsSpecs method), 21  
 getSpecs() (atlasapi.specs.DatabaseUsersUpdatePermissionsSpecs method), 22  
 GIGABYTES (atlasapi.lib.AtlasUnits attribute), 28  
 GIGABYTES\_PER\_HOUR (atlasapi.lib.AtlasUnits attribute), 28  
 guest(atlasapi.specs.AtlasMeasurementTypes.CPU.System attribute), 18  
 guest(atlasapi.specs.AtlasMeasurementTypes.CPU.SystemNormalized attribute), 18

**H**

Host (class in atlasapi.specs), 22  
 host\_list\_by\_cluster() (atlasapi.atlas.\_Hosts method), 39  
 host\_list\_primaries (atlasapi.atlas.\_Hosts attribute), 39  
 host\_list\_secondaries (atlasapi.atlas.\_Hosts attribute), 39  
 host\_names (atlasapi.atlas.\_Hosts attribute), 39  
 HostLogFile (class in atlasapi.specs), 23  
 Hosts GetAll (class in atlasapi.atlas), 4  
 HOUR (atlasapi.lib.AtlasGranularities attribute), 27  
 HOURS\_1 (atlasapi.lib.AtlasPeriods attribute), 27  
 HOURS\_24 (atlasapi.lib.AtlasPeriods attribute), 27  
 HOURS\_48 (atlasapi.lib.AtlasPeriods attribute), 27  
 HOURS\_8 (atlasapi.lib.AtlasPeriods attribute), 27

**I**

IAMType (class in atlasapi.specs), 23  
 IDLE (atlasapi.clusters.ClusterStates attribute), 7  
 INPROGRESS (atlasapi.cloud\_backup.SnapshotStatus attribute), 26  
 insert(atlasapi.specs.AtlasMeasurementTypes.Opcounter attribute), 20  
 insert(atlasapi.specs.AtlasMeasurementTypes.Opcounter.Repl attribute), 20  
 inserted(atlasapi.specs.AtlasMeasurementTypes.DocumentMetric attribute), 19  
 InstanceSizeName (class in atlasapi.clusters), 7  
 iowait(atlasapi.specs.AtlasMeasurementTypes.CPU.System attribute), 18  
 iowait(atlasapi.specs.AtlasMeasurementTypes.CPU.SystemNormalized attribute), 18

irq(atlasapi.specs.AtlasMeasurementTypes.CPU.System attribute), 18  
 irq(atlasapi.specs.AtlasMeasurementTypes.CPU.SystemNormalized attribute), 18  
 is\_existing\_cluster() (atlasapi.atlas.\_Clusters method), 33  
 (atlasapi.atlas.\_CloudBackups method), 42  
 itemsPerPage (atlasapi.settings.Settings attribute), 16  
 itemsPerPageMax (atlasapi.settings.Settings attribute), 16  
 itemsPerPageMin (atlasapi.settings.Settings attribute), 16

**K**

kernel(atlasapi.specs.AtlasMeasurementTypes.CPU.Process attribute), 18  
 kernel(atlasapi.specs.AtlasMeasurementTypes.CPU.ProcessNormalized attribute), 18  
 kernel(atlasapi.specs.AtlasMeasurementTypes.CPU.System attribute), 18  
 kernel(atlasapi.specs.AtlasMeasurementTypes.CPU.SystemNormalized attribute), 18

**L**

LogLine (class in atlasapi.lib), 28

**M**

M0 (atlasapi.clusters.InstanceSizeName attribute), 7  
 M10 (atlasapi.clusters.InstanceSizeName attribute), 7  
 M100 (atlasapi.clusters.InstanceSizeName attribute), 7  
 M140 (atlasapi.clusters.InstanceSizeName attribute), 7  
 M2 (atlasapi.clusters.InstanceSizeName attribute), 7  
 M20 (atlasapi.clusters.InstanceSizeName attribute), 7  
 M200 (atlasapi.clusters.InstanceSizeName attribute), 7  
 M200\_NVME (atlasapi.clusters.InstanceSizeName attribute), 7  
 M30 (atlasapi.clusters.InstanceSizeName attribute), 7  
 M300 (atlasapi.clusters.InstanceSizeName attribute), 7  
 M40 (atlasapi.clusters.InstanceSizeName attribute), 7  
 M400 (atlasapi.clusters.InstanceSizeName attribute), 7  
 M400\_NVME (atlasapi.clusters.InstanceSizeName attribute), 7  
 M40\_NVME (atlasapi.clusters.InstanceSizeName attribute), 8  
 M5 (atlasapi.clusters.InstanceSizeName attribute), 8  
 M50 (atlasapi.clusters.InstanceSizeName attribute), 8  
 M50\_NVME (atlasapi.clusters.InstanceSizeName attribute), 8  
 M60 (atlasapi.clusters.InstanceSizeName attribute), 8  
 M60\_NVME (atlasapi.clusters.InstanceSizeName attribute), 8

M80 (*atlasapi.clusters.InstanceSizeName* attribute), 8  
 M80\_NVME (*atlasapi.clusters.InstanceSizeName* attribute), 8  
 MaintenanceWindow (class in *atlasapi.maintenance\_window*), 24  
 mapped (*atlasapi.specs.AtlasMeasurementTypes.Memory* attribute), 19  
 master\_time (*atlasapi.specs.AtlasMeasurementTypes.Olog* attribute), 20  
 measurement\_stats (*atlasapi.specs.AtlasMeasurement* attribute), 17  
 measurement\_stats\_friendly\_bytes (*atlasapi.specs.AtlasMeasurement* attribute), 17  
 measurement\_stats\_friendly\_number (*atlasapi.specs.AtlasMeasurement* attribute), 17  
 measurements (*atlasapi.specs.AtlasMeasurement* attribute), 17  
 measurements\_as\_tuples () (*atlasapi.specs.AtlasMeasurement* method), 17  
 measurements\_count (*atlasapi.specs.AtlasMeasurement* attribute), 17  
 MEGABYTES\_PER\_SECOND (*atlasapi.lib.AtlasUnits* attribute), 28  
 METHOD\_NOT\_ALLOWED (*atlasapi.settings.Settings* attribute), 16  
 MILLISECONDS (*atlasapi.lib.AtlasUnits* attribute), 28  
 MINUTE (*atlasapi.lib.AtlasGranularities* attribute), 27  
 MINUTES\_15 (*atlasapi.lib.AtlasPeriods* attribute), 27  
 modify\_cluster () (*atlasapi.atlas.Atlas.\_Clusters* method), 33  
 modify\_cluster\_advanced\_options () (*atlasapi.atlas.Atlas.\_Clusters* method), 33  
 modify\_cluster\_instance\_size () (*atlasapi.atlas.Atlas.\_Clusters* method), 33  
 modify\_cluster\_tls () (*atlasapi.atlas.Atlas.\_Clusters* method), 34  
 MONDAY (*atlasapi.maintenance\_window.Weekdays* attribute), 25  
 MONGOD\_AUDIT (*atlasapi.lib.AtlasLogNames* attribute), 27  
 MONGODB (*atlasapi.lib.AtlasLogNames* attribute), 27  
 MongoDBMajorVersion (class in *atlasapi.lib*), 28  
 MONGOS (*atlasapi.lib.AtlasLogNames* attribute), 27  
 MONGOS\_AUDIT (*atlasapi.lib.AtlasLogNames* attribute), 27  
 MONTHS\_1 (*atlasapi.lib.AtlasPeriods* attribute), 27  
 MONTHS\_2 (*atlasapi.lib.AtlasPeriods* attribute), 27  
 msg (*atlasapi.specs.AtlasMeasurementTypes.Asserts* attribute), 17

## N

Network (class in *atlasapi.network*), 14

nice (*atlasapi.specs.AtlasMeasurementTypes.CPU.System* attribute), 18  
 nice (*atlasapi.specs.AtlasMeasurementTypes.CPU.SystemNormalized* attribute), 18  
 NO\_CONTENT (*atlasapi.settings.Settings* attribute), 16  
 NO\_DATA (*atlasapi.specs.ReplicaSetTypes* attribute), 23  
 NONE (*atlasapi.specs.IAMType* attribute), 23  
 NOTFOUND (*atlasapi.settings.Settings* attribute), 16  
 num\_requests (*atlasapi.specs.AtlasMeasurementTypes.Network* attribute), 19

## O

objects\_per\_returned (*atlasapi.specs.AtlasMeasurementTypes.QueryTargetingScanned* attribute), 20  
 ONDEMAND (*atlasapi.cloud\_backup.SnapshotType* attribute), 26  
 OPEN (*atlasapi.specs.AlertStatusSpec* attribute), 16  
 open (*atlasapi.specs.AtlasMeasurementTypes.Cursors* attribute), 19  
 Organization (class in *atlasapi.organizations*), 30  
 organization\_by\_id () (*atlasapi.atlas.Atlas.\_Organizations* method), 44  
 organization\_by\_name () (*atlasapi.atlas.Atlas.\_Organizations* method), 44  
 organizations (*atlasapi.atlas.Atlas.\_Organizations* attribute), 45

## P

page\_faults (*atlasapi.specs.AtlasMeasurementTypes.ExtraInfo* attribute), 19  
 pageNum (*atlasapi.settings.Settings* attribute), 16  
 patch () (*atlasapi.network.Network* method), 15  
 pause\_cluster () (*atlasapi.atlas.Atlas.\_Clusters* method), 34  
 per\_returned (*atlasapi.specs.AtlasMeasurementTypes.QueryTargetingScanned* attribute), 20  
 PERCENT (*atlasapi.lib.AtlasUnits* attribute), 28  
 pointInTime (*atlasapi.cloud\_backup.DeliveryType* attribute), 26  
 post () (*atlasapi.network.Network* method), 15  
 Project (class in *atlasapi.projects*), 29  
 project\_by\_id () (*atlasapi.atlas.Atlas.\_Projects* method), 43  
 project\_by\_name () (*atlasapi.atlas.Atlas.\_Projects* method), 44  
 projects (*atlasapi.atlas.Atlas.\_Projects* attribute), 44  
 ProjectSettings (class in *atlasapi.projects*), 29  
 ProviderName (class in *atlasapi.lib*), 28

ProviderSettings (*class in atlasapi.clusters*), 8  
PROVISIONED (*atlasapi.clusters.VolumeTypes* attribute), 9

**Q**

query (*atlasapi.specs.AtlasMeasurementTypes.Opcounter* attribute), 20  
QUEUED (*atlasapi.cloud\_backup.SnapshotStatus* attribute), 26

**R**

R200 (*atlasapi.clusters.InstanceSizeName* attribute), 8  
R300 (*atlasapi.clusters.InstanceSizeName* attribute), 8  
R40 (*atlasapi.clusters.InstanceSizeName* attribute), 8  
R400 (*atlasapi.clusters.InstanceSizeName* attribute), 8  
R50 (*atlasapi.clusters.InstanceSizeName* attribute), 8  
R60 (*atlasapi.clusters.InstanceSizeName* attribute), 8  
R700 (*atlasapi.clusters.InstanceSizeName* attribute), 8  
R80 (*atlasapi.clusters.InstanceSizeName* attribute), 8  
rate (*atlasapi.specs.AtlasMeasurementTypes.Oplog* attribute), 20  
read (*atlasapi.specs.RoleSpecs* attribute), 24  
readAnyDatabase (*atlasapi.specs.RoleSpecs* attribute), 24  
readers (*atlasapi.specs.AtlasMeasurementTypes.GlobalLockCurrent* attribute), 19  
reads (*atlasapi.specs.AtlasMeasurementTypes.Operations* attribute), 20  
reads (*atlasapi.specs.AtlasMeasurementTypes.TicketsAvailable* attribute), 20  
readWrite (*atlasapi.specs.RoleSpecs* attribute), 24  
readWriteAnyDatabase (*atlasapi.specs.RoleSpecs* attribute), 24  
RECOVERING (*atlasapi.specs.ReplicaSetTypes* attribute), 23  
RegionConfig (*class in atlasapi.clusters*), 8  
regular (*atlasapi.specs.AtlasMeasurementTypes.Asserts* attribute), 17  
remove\_role () (*atlasapi.specs.DatabaseUsersPermissionsSpecs* method), 22  
remove\_roles () (*atlasapi.specs.DatabaseUsersPermissionsSpecs* method), 22  
REPAIRING (*atlasapi.clusters.ClusterStates* attribute), 7  
REPLICA\_PRIMARY (*atlasapi.specs.ReplicaSetTypes* attribute), 23  
REPLICA\_SECONDARY (*atlasapi.specs.ReplicaSetTypes* attribute), 23  
REPLICASET (*atlasapi.lib.ClusterType* attribute), 28  
ReplicaSetTypes (*class in atlasapi.specs*), 23  
ReplicationSpecs (*class in atlasapi.clusters*), 8  
request\_snapshot\_restore () (*atlasapi.atlas.Atlas.\_CloudBackups* method),

42  
request\_snapshot\_restore\_to\_group () (*atlasapi.atlas.Atlas.\_CloudBackups* method), 42  
requests\_timeout (*atlasapi.settings.Settings* attribute), 16  
resident (*atlasapi.specs.AtlasMeasurementTypes.Memory* attribute), 19  
returned (*atlasapi.specs.AtlasMeasurementTypes.DocumentMetrics* attribute), 19  
ROLE (*atlasapi.specs.IAMType* attribute), 23  
RoleSpecs (*class in atlasapi.specs*), 24

**S**

SATURDAY (*atlasapi.maintenance\_window.Weekdays* attribute), 25  
SCALAR (*atlasapi.lib.AtlasUnits* attribute), 28  
SCALAR\_PER\_SECOND (*atlasapi.lib.AtlasUnits* attribute), 28  
scan\_and\_order (*atlasapi.specs.AtlasMeasurementTypes.Operations* attribute), 20  
scanned (*atlasapi.specs.AtlasMeasurementTypes.QueryExecutor* attribute), 20  
scanned\_objects (*atlasapi.specs.AtlasMeasurementTypes.QueryExecutor* attribute), 20  
SCHEDULED (*atlasapi.cloud\_backup.SnapshotType* attribute), 26  
SERVER\_ERRORS (*atlasapi.settings.Settings* attribute), 16  
set\_config () (*atlasapi.atlas.Atlas.\_MaintenanceWindows* method), 37  
settings (*atlasapi.atlas.Atlas.\_Projects* attribute), 44  
Settings (*class in atlasapi.settings*), 15  
SHARD\_CONFIG (*atlasapi.specs.ReplicaSetTypes* attribute), 23  
SHARD\_CONFIG\_PRIMARY (*atlasapi.specs.ReplicaSetTypes* attribute), 23  
SHARD\_CONFIG\_SECONDARY (*atlasapi.specs.ReplicaSetTypes* attribute), 23  
SHARD\_MONGOS (*atlasapi.specs.ReplicaSetTypes* attribute), 23  
SHARD\_PRIMARY (*atlasapi.specs.ReplicaSetTypes* attribute), 23  
SHARD\_SECONDARY (*atlasapi.specs.ReplicaSetTypes* attribute), 23  
SHARD\_STANDALONE (*atlasapi.specs.ReplicaSetTypes* attribute), 23  
SHARDED (*atlasapi.lib.ClusterType* attribute), 28  
SHARDEDCLUSTER (*atlasapi.lib.ClusterType* attribute), 28  
ShardedClusterConfig (*class in atlasapi.clusters*), 9

```

since() (atlasapi.atlas._Events method), 40
SnapshotRestore (class in atlasapi.cloud_backup),
    26
SnapshotRestoreResponse (class in atlas-
    api.cloud_backup), 26
SnapshotStatus (class in atlasapi.cloud_backup), 26
SnapshotType (class in atlasapi.cloud_backup), 26
softirq (atlasapi.specs.AtlasMeasurementTypes.CPU.System
    attribute), 18
softirq (atlasapi.specs.AtlasMeasurementTypes.CPU.System
    attribute), 18
STANDARD (atlasapi.clusters.VolumeTypes attribute), 9
StatisticalValues (class in atlasapi.specs), 24
StatisticalValuesFriendly (class in atlas-
    api.specs), 24
steal (atlasapi.specs.AtlasMeasurementTypes.CPU.System
    attribute), 18
steal (atlasapi.specs.AtlasMeasurementTypes.CPU.System
    attribute), 18
storage (atlasapi.specs.AtlasMeasurementTypes.Db
    attribute), 19
SUCCESS (atlasapi.settings.Settings attribute), 16
SUNDAY (atlasapi.maintenance_window.Weekdays at-
    tribute), 25

T
TENANT (atlasapi.lib.ProviderName attribute), 28
test_failover() (atlasapi.atlas._Clusters
    method), 34
THURSDAY (atlasapi.maintenance_window.Weekdays at-
    tribute), 25
timed_out (atlasapi.specs.AtlasMeasurementTypes.Cursors
    attribute), 19
TLS1_0 (atlasapi.clusters.TLSProtocols attribute), 9
TLS1_1 (atlasapi.clusters.TLSProtocols attribute), 9
TLS1_2 (atlasapi.clusters.TLSProtocols attribute), 9
TLS1_3 (atlasapi.clusters.TLSProtocols attribute), 9
TLSProtocols (class in atlasapi.clusters), 9
total (atlasapi.specs.AtlasMeasurementTypes.GlobalLock
    attribute), 19
TRACKING (atlasapi.specs.AlertStatusSpec attribute), 16
try_bool () (in module atlasapi.cloud_backup), 27
try_date () (in module atlasapi.cloud_backup), 27
TUESDAY (atlasapi.maintenance_window.Weekdays at-
    tribute), 25

U
unacknowledge_an_alert () (atlas-
    api.atlas._Alerts method), 36
UNAUTHORIZED (atlasapi.settings.Settings attribute),
    16
UNKNOWN (atlasapi.clusters.ClusterStates attribute), 7
update (atlasapi.specs.AtlasMeasurementTypes.Opcounter
    attribute), 20
update (atlasapi.specs.AtlasMeasurementTypes.Opcounter.Repl
    attribute), 20
update_a_database_user () (atlas-
    api.atlas._DatabaseUsers method),
    35
update_host_list () (atlasapi.atlas._Hosts
    method), 39
updated (atlasapi.specs.AtlasMeasurementTypes.DocumentMetrics
    attribute), 19
V
URI_STUB (atlasapi.settings.Settings attribute), 16
used (atlasapi.specs.AtlasMeasurementTypes.Cache at-
    tribute), 19
user (atlasapi.specs.AtlasMeasurementTypes.Asserts at-
    tribute), 18
user (atlasapi.specs.AtlasMeasurementTypes.Process
    attribute), 18
N
Normal (atlasapi.specs.AtlasMeasurementTypes.ProcessNormalized
    attribute), 18
user (atlasapi.specs.AtlasMeasurementTypes.System
    attribute), 18
user (atlasapi.specs.AtlasMeasurementTypes.SystemNormalized
    attribute), 18
USER (atlasapi.specs.IAMType attribute), 23
user_count () (atlasapi.atlas._Projects
    method), 44
V
v3_4 (atlasapi.lib.MongoDBMajorVersion attribute), 28
v3_6 (atlasapi.lib.MongoDBMajorVersion attribute), 28
v4_0 (atlasapi.lib.MongoDBMajorVersion attribute), 28
v4_2 (atlasapi.lib.MongoDBMajorVersion attribute), 28
v4_4 (atlasapi.lib.MongoDBMajorVersion attribute), 28
v5_0 (atlasapi.lib.MongoDBMajorVersion attribute), 28
value_float (atlasapi.specs.AtlasMeasurementValue
    attribute), 21
value_int (atlasapi.specs.AtlasMeasurementValue at-
    tribute), 21
CurrentQuota (atlasapi.specs.AtlasMeasurementTypes.Memory
    attribute), 19
VolumeTypes (class in atlasapi.clusters), 9
vX_x (atlasapi.lib.MongoDBMajorVersion attribute), 28

W
warning (atlasapi.specs.AtlasMeasurementTypes.Asserts
    attribute), 18
WEDNESDAY (atlasapi.maintenance_window.Weekdays
    attribute), 25
Weekdays (class in atlasapi.maintenance_window), 25
WEEKS_1 (atlasapi.lib.AtlasPeriods attribute), 27
WEEKS_4 (atlasapi.lib.AtlasPeriods attribute), 27
WhitelistEntry (class in atlasapi.whitelist), 10
WhitelistGetAll (class in atlasapi.atlas), 4

```

writers (*atlasapi.specs.AtlasMeasurementTypes.GlobalLockCurrentQueue attribute*), 19  
writes (*atlasapi.specs.AtlasMeasurementTypes.Operations.ExecutionTime attribute*), 20  
writes (*atlasapi.specs.AtlasMeasurementTypes.TicketsAvailable attribute*), 20

## Y

YEARS\_1 (*atlasapi.lib.AtlasPeriods attribute*), 27  
YEARS\_2 (*atlasapi.lib.AtlasPeriods attribute*), 27